

CANDIDATE
NAME

SOLVED BY SMART EXAM RESOURCES

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

PHYSICS

0625/62

Paper 6 Alternative to Practical

October/November 2016

1 hour

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 12 printed pages.



1 A student is determining the weight of a load using a balancing method.

Fig. 1.1 shows the apparatus. It is not drawn to scale.




Fig. 1.1 (not to scale)

- (a) The student places the metre rule on the pivot and adjusts its position so that the metre rule is as near as possible to being balanced. He records the scale reading of the metre rule at the point where the rule balances on the pivot.

scale reading = 50.2cm

He places a 2.00N load P on the metre rule so that its centre is exactly at the 20.0cm mark on the rule.

- (i) Use this information to determine the distance x .

$x = \dots\dots\dots 30.2 \dots\dots\dots$ cm [1]

- (ii) Explain how you would ensure that the centre of the load P is exactly at the 20.0cm mark on the rule. You may draw a diagram.

Diagram = optional



Measure width 'w' of the load and place 'w/2' on either side of the desired position OR Draw centre line on load and mark side of rule on desired position. [2]

- (b) The student places a load Q on the metre rule and adjusts its position so that the metre rule is as near as possible to being balanced.

He measures the distance y between the centre of load Q and the pivot.

$$y = \dots\dots\dots 15.3 \text{ cm} \dots\dots\dots$$

Calculate the weight W of load Q using the equation $W = \frac{kx}{y}$, where $k = 2.00 \text{ N}$.

$$W = \frac{kx}{y} = \frac{2 \times 30.2}{15.3} = 3.947$$

$$W = \dots\dots\dots 3.95 \dots\dots\dots [1]$$

- (c) The student repeats the procedure using a different, suitably chosen, distance x .

Suggest a suitable distance x .

[At least 5 cm more]

$$x = \dots\dots\dots 35.2 \dots\dots\dots \text{ cm} [1]$$

- (d) The student calculates a new value of W .

$$W = \dots\dots\dots 4.04 \text{ N} \dots\dots\dots$$

Suggest two reasons why the values determined for W may not be the same.

1. Difficult to judge the best position of almost balanced
2. The loads obscure the scale
3. Position of centre of load difficult to judge [2]

- (e) Calculate the average W_{AV} of the values for W , the weight of load Q . Give your answer to a suitable number of significant figures for this experiment.

$$\frac{3.95 + 4.04}{2} = 3.995$$

$$W_{AV} = \dots\dots\dots 3.995 \dots\dots\dots \text{ N} [2]$$

$$\text{OR } 4.00 \text{ N} \dots\dots\dots [\text{Total: } 9]$$

2 A student is investigating the resistance of a resistor.

The circuit is shown in Fig. 2.1. **AB** and **CD** are lengths of resistance wire.




Fig. 2.1

(a) The student connects the wandering lead to point **B** in the circuit. The readings of potential difference V_1 and current I_1 are shown in Figs. 2.2 and 2.3.




Fig. 2.2




Fig. 2.3

(i) Record the readings shown on the meters.

$V_1 = \dots\dots\dots 1.7V$
 $I_1 = \dots\dots\dots 0.32A$

[2]

(ii) Calculate the resistance R of the resistor R using the equation $R = \frac{V_1}{I_1}$.

$$R = \frac{1.7}{0.32} = 5.3125$$

$$R = \dots\dots\dots 5.3125 \Omega \dots\dots [1]$$

(b) The student connects the wandering lead to point D in the circuit and repeats the readings.

She connects points A and D together. She connects the wandering lead to point B and repeats the readings.

Finally, she connects the wandering lead to point A and repeats the readings.

The new values for the resistance R of resistor R that she obtains are:

$$R = \dots\dots\dots 4.96 \Omega, 5.12 \Omega, 4.89 \Omega \dots\dots\dots$$

A student suggests that the resistance R should be constant throughout the experiment.

State whether the results agree with this suggestion. Justify your answer by reference to the results.

statement Yes.....


justification The difference is within limits of experimental accuracy......

[2]

(c) (i) Name a component that could be used to control the current in the circuit, in place of the wires AB and CD .

Variable resistor / Rheostat..... [1]

(ii) In the space below, draw the circuit with this component in place of the wires AB and CD . Show one end of the component connected at A and the wandering lead connected to the other end of the component.



[2]

- 3 (a) A student hangs a mass on a spring and observes it as it oscillates up and down.

The student wants to find the factors that affect the time taken for one complete oscillation. She finds that increasing the mass increases the time.

Suggest two other variables that the student could investigate.

[Any 2]

1. length of the spring (or no. of coils)
2. diameter or thickness of spring
3. Material (stiffness | spring constant)

[2]

- (b) Another student is investigating the oscillations of the pendulum shown in Fig. 3.1.




Fig. 3.1

The variables are

- the length l of the pendulum
- the mass m of the pendulum bob
- the amplitude θ of the swing.

The time taken for one complete oscillation is called the period T .

She carries out three experiments. Each experiment investigates the effect on the period T of changing one variable.

Her results are shown in Tables 3.1, 3.2 and 3.3.

Table 3.1

l/m	T/s
0.200	0.89
0.400	1.25
0.600	1.54
0.800	1.78
1.000	1.99

Table 3.2

m/g	T/s
50	1.40
60	1.42
70	1.39
80	1.41
90	1.38

Table 3.3

$\theta/^\circ$	T/s
4	2.00
6	1.98
8	2.06
10	2.02
12	1.97

(i) Study the results tables and use words from this list to complete the sentences.

increases

decreases

has no effect on

is proportional to

- An increase in length l *increases* the period T .
- An increase in mass m *has no effect on* the period T .
- An increase in amplitude θ *has no effect on* the period T .

[3]

(ii) Suggest a precaution you would take in this pendulum experiment to obtain T values that are as reliable as possible.

1. Repeat the experiment 2. Take large no. of oscillations and divide 3. Use time / sensor gates 4. Use a fiducial mark [1]

[Any 1]

[Total: 6]

- 4 A student is investigating whether using a lid reduces the time taken to heat a beaker of water to boiling point.

The student has the following apparatus available:

thermometer
250cm³ glass beaker
250cm³ measuring cylinder
heatproof mat
lid to fit the beaker
clamp, boss and stand.

Plan an experiment to investigate whether using a lid reduces the heating time.

You should

- list the additional apparatus that you would require
- explain briefly how you would carry out the investigation
- state the key variables that you would control
- draw a table, with column headings, to show how you would display your readings; you are not required to enter any readings in the table
- explain how you would use your readings to reach a conclusion.

A diagram is not required but you may draw a diagram if it helps your explanation.

Handwritten notes:
The experiment will be carried out in a laboratory. I will use a 250cm³ glass beaker and a 250cm³ measuring cylinder. I will use a thermometer to measure the temperature of the water. I will use a stopwatch to measure the time taken for the water to reach boiling point. I will use a heatproof mat to protect the table. I will use a clamp, boss and stand to hold the beaker. I will use a lid to fit the beaker. I will use a lid to fit the beaker. I will use a lid to fit the beaker. [10]

To investigate whether using a lid reduces heating time.

Take equal quantity of water (or equal mass / amount of water) in a beaker. Place a lid on it and using a stop watch note the time needed to reach the boiling point. The lid should have an opening for inserting a thermometer through it. Repeat the exact procedure without lid. Record the time taken to reach the boiling point. This time clamp the thermometer on a stand and dip it in water.

Thus apparatus needed is: beaker, stop watch, heat source, thermometer, water.

For a fair comparison keep the initial temp of water and the mass of water same for both experiments. Record the observations in following table.

Time taken by water to reach B.P/s	
with lid	Without lid

Based on observations, draw a conclusion such as "The time taken by the water to boil in a container with lid is less than that without a lid."

[7]

[Total: 7]

[Turn over

5 A student is investigating reflection using a plane mirror.

Fig. 5.1 shows the student's ray-trace sheet.




Fig. 5.1

- (a) The line **MR** marks the position of the mirror. The student draws another line **XY** parallel to line **MR**. He draws a line from **A** at an angle of incidence $i = 20^\circ$. He labels the end of this line **B**. The student places a pin P_1 at point **B**. He places a pin P_2 on line **AB** at a suitable distance from pin P_1 to produce a ray trace.

(i) On Fig. 5.1, measure the length l of line **AB**.

$l = \dots\dots 8.4 \text{ cm OR } 84 \text{ mm} \dots\dots [1]$

(ii) On Fig. 5.1, mark with a cross (x) a suitable position for pin P_2 . **DONE** [1]

- (b) The student views the images of pins P_1 and P_2 from the direction indicated by the eye in Fig. 5.1. He places two pins P_3 and P_4 , a suitable distance apart, so that pins P_3 and P_4 , and the images of P_2 and P_1 , all appear exactly one behind the other.


He draws a line joining the positions of P_3 and P_4 . He labels the point at which this line crosses XY with the letter D . He measures the distance d between C and D .

He repeats the procedure using i values of 0° , 30° , 40° , 50° and 60° . The readings are shown in Table 5.1.

Table 5.1

$i/^\circ$	d/cm
0	0.0
20	1.8
30	2.9
40	4.2
50	6.0
60	8.7

Plot a graph of d/cm (y-axis) against $i/^\circ$ (x-axis).



- (c) A student suggests that i should be directly proportional to d .

State whether the graph supports this suggestion. Justify your answer by reference to the graph.

statement No:

justification The graph is not a straight line graph passing through the origin [2]

- (d) Suggest two practical difficulties in obtaining accurate readings in this experiment. [Any 2]

1. Difficult to judge when pins are exactly in line
 2. Difficult to ensure that pins are vertical
 3. Lines might be too thick
 4. Pins might be too thick
 5. Protractor only measures accuracy to $\pm 1^\circ$

[2]
 [Total: 10]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.