Location Entry Codes

As part of CIE's continual commitment to maintaining best practice in assessment, CIE uses different variants of some question papers for our most popular assessments with large and widespread candidature. The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions is unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiners' Reports that are available.

Question Paper Mark Scheme **Principal Examiner's** Report Introduction Introduction Introduction First variant Question Paper First variant Mark Scheme First variant Principal Examiner's Report Second variant Question Second variant Mark Second variant Principal Paper Scheme Examiner's Report

Who can I contact for further information on these changes?

Please direct any questions about this to CIE's Customer Services team at: international@cie.org.uk

The titles for the variant items should correspond with the table above, so that at the top of the first page of the relevant part of the document and on the header, it has the words:

• First variant Question Paper / Mark Scheme / Principal Examiner's Report

or

Second variant Question Paper / Mark Scheme / Principal Examiner's Report

as appropriate.



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME										
CENTRE NUMBER							ANDII UMBE			

BIOLOGY 0610/31

Paper 3 Extended May/June 2008

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, Candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use						
1						
2						
3						
4						
5						
Total						

This document consists of 13 printed pages and 3 blank pages.



1

© UCLES 2008

(a) Using straight lines, match the names of the flower parts with their functions. One has been completed for you. allows the passage of the anther pollen tube to the ovary attracts insects petal for pollination produces sepal pollen grains protects the flower style when in bud the surface on which the stigma pollen lands during pollination [4] (b) Describe how the stigmas of wind-pollinated flowers differ from the stigmas of insectpollinated flowers. Relate these differences to the use of wind as the pollinating agent. (c) Discuss the implications to a species of self-pollination. [3] [Total: 10]

0610/31/M/J/08

2 The wild dog is one of the smaller African carnivorous mammals. It has disappeared from 25 of the 39 countries where it used to live. Wild dogs hunt in packs, feeding on antelopes, which are grass-eating mammals.

For Examiner's Use

A conservation programme has been started to increase the wild dog population in South

Africa	a. Fa	armers are worried about numbers getting out of control because wild dogs breed fast rate. However, conservationists are not concerned because the lion is a redator of the dogs.
(a) \	Wild	dogs are carnivorous mammals.
((i)	Define the term <i>carnivore</i> .
		[1]
(i	ii) :	State one external feature which distinguishes mammals from other vertebrates.
		[1]
(b) ((i) :	Suggest two reasons why numbers of African wild dogs are decreasing.
		1
		2[2]
(i	ii) :	Suggest what could happen to the species if numbers continue to decrease.
	1	
	,	[1]
		g the information in the passage above, construct a food chain for a wild dog, ding its predator.
L	Labe	el each organism with its trophic level.

[4]

(d)	It is	important that the wild dog species is conserved.
	(i)	Explain the meaning of the term conservation.
		[2]
	(ii)	Outline the measures that could be taken to conserve a mammal, such as the wild dog.
		[3]
(e)	plar	en wild dogs die, nitrogen compounds in their bodies may become available for its. Outline the processes that occur to make these nitrogen compounds in the ies of dead animals available for plants to absorb.
		[5]
		[Total: 19]

© UCLES 2008 0610/31/M/J/08

3

Catalase is an enzyme found in plant and animal cells. It has the function of breaking down hydrogen peroxide, a toxic waste product of metabolic processes.
(a) (i) State the term used to describe the removal of waste products of metabolism.
[1]
(ii) Define the term enzyme.
[2]
An investigation was carried out to study the effect of pH on catalase, using pieces of potato as a source of the enzyme.
Oxygen is formed when catalase breaks down hydrogen peroxide, as shown in the equation.
hydrogen peroxide
The rate of reaction can be found by measuring how long it takes for 10 cm ³ oxygen to be collected.
(b) (i) State the independent (input) variable in this investigation.
[1]
(ii) Suggest two factors that would need to be kept constant in this investigation.
1
2[2]

Table 3.1 shows the results of the investigation, but it is incomplete.

For Examiner's Use

Table 3.1

рН	time to collect 10 cm ³ oxygen / min	rate of oxygen production / cm³ min -1
4	20.0	0.50
5	12.5	0.80
6	10.0	1.00
7	13.6	0.74
8	17.4	

(c) Calculate the rate of oxygen production at pH 8.

Show your working. Write your answer in Table 3.1

[2]

© UCLES 2008 0610/31/M/J/08

(d) Complete the graph by plotting the rate of oxygen production against pH. 1.2 1.0 0.8 0.6 0.4 0.2-0.0 -2 3 5 6 7 8 4 [4] (e) (i) Using data from the graph, describe the changes in the reaction rate between pH 4 and pH 8. [2] (ii) Explain the change in the reaction rate between **pH 6** and **pH 8**. [Total: 17]




Fig. 4.1

© UCLES 2008 0610/31/M/J/08

(a)	are	scribe one method a scientist could use to show that the zebras shown in Fig. 4 different species.	
			[1]
(b)	Stu	dies have shown that the hotter the environment, the more stripes zebras have.	
	(i)	State the type of variation which would result in different numbers of stripes.	
			[1]
	(ii)	Study Fig. 4.1. Suggest which species of zebra lives in the hottest environment.	
			[1]
(c)		casionally, zebras are born that are almost completely black. The change bearance is the result of mutation.	in
	(i)	State the term that is used to describe the appearance of an organism.	
			[1]
	(ii)	Define the term <i>mutation</i> .	
			[2]

(d) Tsetse flies attack animals with short fur, sucking their blood and spreading diseases.

Fig. 4.2 shows a tsetse fly. This fly is an insect, belonging to the arthropod group.






Fig. 4.2

	(i)	State one feature, visible in Fig. 4.2, which is common to all arthropods.
		[1]
	(ii)	State two features, visible in Fig. 4.2 , which distinguish insects from other arthropod groups.
		1
		2[2]
(e)	Scie flies	entists have discovered that zebras with more horizontal stripes attract fewer tsetse s.
	(i)	Suggest why the stripes on the head and neck of the zebra would be an advantage when it feeds on grass on the ground.
		[2]
	(ii)	Describe how a species of zebra could gradually develop more horizontal stripes.
		[3]
		[Total: 14]

© UCLES 2008 0610/31/M/J/08

For
Examiner's
Use

[2]

5 To stay healthy we need a balanced of	ed die	balance	аb	need	/ we	healthy	stay	To	5
---	--------	---------	----	------	------	---------	------	----	---

(a)	Define the term balanced diet.

Protein is one nutrient present in a balanced diet. The body cannot store protein, so any excess amino acids are broken down in the process of deamination, as shown in Fig. 5.1.




Fig. 5.1

(b)	(i)	Name the organ where deamination takes place.	
			[1]

(ii) Compound ${\bf X}$ is used as an energy source in respiration.

Suggest the name of compound ${\bf X}.$

[1]

	(iii)	State the type of respiration shown in Fig. 5.1.		
		Explain your answer.		
		type of respiration		
		explanation		
			[2]	
(c)	The	e urea produced is transported to the kidney, where it is excreted.		
	Des	scribe how urea is transported in the blood to the kidney.		
			[2]	

Fig. 5.2 shows a kidney tubule (nephron) and its associated blood vessels.




Fig. 5.2

© UCLES 2008 0610/31/M/J/08

(d)	Complete t	the	table	by	naming	the	parts	labelled	A	to I	Da	and	stating	one	function	for
	each.															

	1		
		name of part	function
A			
В	;		
С			
D			
			[8]
The	vol	ume of blood filtered by	the kidneys is 1.18 dm ³ min ⁻¹ .
(i)	Cal	culate the total volume	of blood filtered in 24 hours.
	Sho	ow your working.	
	0	on your monaing.	
			volume =[2]
(ii)	If t	he total volume of ur centage volume of the f	ine produced in 24 hours is 1.7 dm ³ , calculate the iltered blood excreted as urine in 24 hours.
	Sho	ow your working.	
			2/ 1
			% volume =[2]
			[Total: 20]

© UCLES 2008 0610/31/M/J/08

(e)

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

Second Variant Question Paper



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

BIOLOGY 0610/32

Paper 3 Extended May/June 2008

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, Candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use				
1				
2				
3				
4				
5				
Total				

This document consists of 13 printed pages and 3 blank pages.

UNIVERSITY of CAMBRIDGE

1

(a) Using straight lines, match the names of the flower parts with their functions. One has been completed for you. allows the passage of the anther pollen tube to the ovary attracts insects petal for pollination produces sepal pollen grains protects the flower style when in bud the surface on which the stigma pollen lands during pollination [4] (b) Describe how the stigmas of wind-pollinated flowers differ from the stigmas of insectpollinated flowers. Relate these differences to the use of wind as the pollinating agent. (c) Discuss the implications to a species of self-pollination. [3] [Total: 10]

0610/32/M/J/08

© UCLES 2008

2 Fig. 2.1 shows *Salvinia molesta*, which is an Australian freshwater plant, introduced to the wetlands of Namibia as a source of animal food. However, in Namibia the plant reproduces much more quickly than in Australia. It quickly covers the surface of the water.

For Examiner's Use




Fig. 2.1

(a) Scientists are concerned about the environmental damage caused by *S. molesta* to the aquatic habitats in the ecosystem of the Namibian wetlands.

(1)	Define the term ecosystem.	
		•
	[2	[]
(ii)	Outline how S. molesta could damage the aquatic habitats of the wetland ecosystem.	t
		•
	[4	.1

(b)		molesta is being controlle atle eats the growing points	d using an Australian beetle, <i>Cyrtobagous saliniae.</i> T s of the plant.	he		
	Sug	ggest and explain why				
	(i)	it is better to use a natural water to kill it,	ral consumer of the plant than to apply herbicides in t	:he		
				••••		
				[2]		
	(ii)	it could be dangerous to t	he wetland ecosystem to introduce Australian beetles.			
				[2]		
(c)	The	e growth of <i>S. molesta</i> is no	ow under control.			
Its population growth has followed the pattern of a sigmoid curve.						
	(i) Using the axes below, sketch a sigmoid growth curve for <i>S. molesta</i>.(ii) Label the phases of the sigmoid growth curve.					
		number of plants	-			
			time/years			
	(iii)	Using the information giv is limiting the growth of S	en in this question (pages 3 and 4), state one factor the molesta.	nat		
				[1]		

© UCLES 2008 0610/32/M/J/08

For

	(IV)	Explain now two other named factors could also limit the growth of <i>S. molesta</i> . 1.	For Examiner's Use
		2	
		[4]	
		[Total: 19]	
3		se is an enzyme found in plant and animal cells. It has the function of breaking down en peroxide, a toxic waste product of metabolic processes.	
	(a) (i)	State the term used to describe the removal of waste products of metabolism.	
		[1]	
	(ii)	Define the term <i>enzyme</i> .	
		[2]	
		estigation was carried out to study the effect of pH on catalase, using pieces of as a source of the enzyme.	
	Oxygen equatio	is formed when catalase breaks down hydrogen peroxide, as shown in the n.	
		hydrogen peroxide catalase water + oxygen	
	The rate collecte	e of reaction can be found by measuring how long it takes for 10 cm ³ oxygen to be ed.	
	(b) (i)	State the independent (input) variable in this investigation.	
		[1]	
	(ii)		
		1.	
		2[2]	

Table 3.1

рН	time to collect 10 cm ³ oxygen/min	rate of oxygen production/cm³ min ⁻¹
4	20.0	0.50
5	12.5	0.80
6	10.0	1.00
7	13.6	0.74
8	17.4	


(c) Calculate the rate of oxygen production at pH 8.

Show your working. Write your answer in Table 3.1.

[2]

© UCLES 2008 0610/32/M/J/08

(d) Complete the line graph by plotting the rate of oxygen production against pH. 1.2 1.0 0.8 0.6 0.4 0.2-0.0 -2 3 5 6 8 [4] (e) (i) Using data from the graph, describe the changes in the reaction rate between pH 4 and pH 8. [2] (ii) Explain the change in the reaction rate between pH 6 and pH 8.







Fig. 4.1

© UCLES 2008 0610/32/M/J/08

(a)		scribe one method a scientist could use to show that the zebras shown in Fig. 4 different species.	.1
			 [1]
(b)	Stu	dies have shown that the hotter the environment, the more stripes zebras have.	
	(i)	State the type of variation which would result in different numbers of stripes.	
			[1]
	(ii)	Study Fig. 4.1. Suggest which species of zebra lives in the hottest environment.	
			[1]
(c)		casionally, zebras are born that are almost completely black. The change learance is the result of mutation.	in
	(i)	State the term that is used to describe the appearance of an organism.	
			[1]
	(ii)	Define the term <i>mutation</i> .	
			[2]

(d) Tsetse flies attack animals with short fur, sucking their blood and spreading diseases.








Fig. 4.2

	(i)	State one feature, visible in Fig. 4.2, which is common to all arthropods.
	(ii)	State two features, visible in Fig. 4.2 , which distinguish insects from other arthropod groups.
		1
(e)	Scie	entists have discovered that zebras with more horizontal stripes attract fewer tsetse
	(i)	Suggest why the stripes on the head and neck of the zebra would be an advantage when it feeds on grass on the ground.
		[2]
	(ii)	Describe how a species of zebra could gradually develop more horizontal stripes.
		[3] [Total: 14]

© UCLES 2008 0610/32/M/J/08

	5	To stay healthy	we need a	balanced	diet
--	---	-----------------	-----------	----------	------

For
Examiner's
Use

(a) Define the term balanced diet.

		[2]

Protein is one nutrient present in a balanced diet. The body cannot store protein, so any excess amino acids are broken down in the process of deamination, as shown in Fig. 5.1.




Fig. 5.1

(b) (i) Name the organ where deamination takes place.

		[A

(ii) Compound **X** is used as an energy source in respiration.

Suggest the name of compound **X**.

[1]

	(iii)	ii) State the type of respiration shown in Fig. 5.1.			
		Explain your answer.			
		type of respiration			
		explanation			
			[2]		
(c)		e urea produced is transported to the kidney, where it is excreted.			
			[2]		

Fig. 5.2 shows a kidney tubule (nephron) and its associated blood vessels.




Fig. 5.2

© UCLES 2008 0610/32/M/J/08

(d)	Complete 1	the	table	by	naming	the	parts	labelled	A	to D	and	stating	one	function	for
	each.														

		name of part	function				
A							
В							
С	;						
D							
			[8]				
The	vol	ume of blood filtered by	the kidneys is 1.18 dm ³ min ⁻¹ .				
(i)	Cal	culate the total volume	of blood filtered in 24 hours.				
	Sho	ow your working.					
			volume =[2]				
(ii)	(ii) If the total volume of urine produced in 24 hours is 1.7 dm³, calculate the percentage volume of the filtered blood excreted as urine in 24 hours.						
	Sho	ow your working.					
			% volume = [2]				
			[Total: 20]				

© UCLES 2008 0610/32/M/J/08

(e)

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.