

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER		CANDIDATE NUMBER
BIOLOGY		0610/62
Paper 6 Alternative to Practical		May/June 2011
		1 hour
Candidates answer on the Question Paper.		

Additional Materials: ruler

œ

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
Total	

This document consists of 9 printed pages and 3 blank pages.




1 Some students carried out tests for vitamin C.

They were provided with three vitamin C solutions, **S1**, **S2** and **S3**.

S1 had a concentration of 0.2% vitamin C. **S2** had a concentration of 0.05% vitamin C. The concentration of **S3** was not known.

- The students measured 1 cm³ of starch solution into a test-tube.
- They added 1 cm³ of solution **S1**.
- The students added iodine solution, counting drop by drop, until a blue colour appeared. This was the end-point for solution **S1**.
- They repeated the test on solutions **S2** and **S3**.

These are the results that the students recorded.



(a) Record the students' observations in a suitable table using the space below.

[4]

For Examiner's Use

(b)	Use these results to suggest the approximate vitamin C concentration of S3.	For Examiner's
	Give reasons for your answer.	Use
	[3]	
(c)	Suggest four ways in which you could improve this method to find the concentration of an unknown vitamin C solution.	
	1	
	2	
	3	
	4.	
	[4]	


(d) Fig. 1.1 shows the results of a similar investigation into the concentration of vitamin C in five fruit juices. The students counted the number of drops of iodine solution used to reach the end-point for each fruit juice.

For Examiner's Use

Blackcurrant 48	Pineapple 5
Orange 16	Lemon 12
Strawberry 22	



(i) On the grid below plot the data from Fig. 1.1 to show the variation in the number of drops of iodine solution required to reach the end-point.



BLANK PAGE

5

Question 2 begins on Page 6

2 Fig. 2.1 shows a photograph of the larva of an insect.







(a) (i) In the space below make a large drawing of the larva shown in Fig. 2.1.Labels are **not** needed.

For Examiner's Use

(ii)			For Examiner's
	length of larva in Fig. 2.1		Use
	length of larva in your drawing	[2]	
(iii)	Calculate the magnification of your drawing compared with the larva in Fig. 2.1.		
	Show your working.		
	magnification	[2]	






......[1] (ii) State three visible features of this moth which are used to classify it as an insect.

1.	
2.	
3.	[3]
	[Total: 20]

[Turn over



BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.