


BOUNDS-SET-3

1



Each of the lengths 20 cm and 12 cm is measured correct to the nearest centimetre.
Calculate the upper bound for the perimeter of the shape.

Answer cm [3]

| | |
|---|---|
| 2 | <p>When a car wheel turns once, the car travels 120 cm, correct to the nearest centimetre.</p> <p>Calculate the lower and upper bounds for the distance travelled by the car when the wheel turns 20 times.</p> <p style="text-align: right;"> <i>Answer</i> lower bound cm upper bound cm [2] </p> |
| 3 | <p>The side of a square is 6.3 cm, correct to the nearest millimetre.</p> <p>The lower bound of the perimeter of the square is u cm and the upper bound of the perimeter is v cm.</p> <p>Calculate the value of</p> <p>(a) u,</p> <p style="text-align: right;"><i>Answer(a)</i> $u =$ [1]</p> <p>(b) $v - u$.</p> <p style="text-align: right;"><i>Answer(b)</i> $v - u =$ [1]</p> |

| | |
|---|--|
| 4 | <p>The cost of making a chair is \$28 correct to the nearest dollar.</p> <p>Calculate the lower and upper bounds for the cost of making 450 chairs.</p> <p style="text-align: right;"><i>Answer</i> lower bound \$</p> |
| 5 | <p>The population of a city is 128 000, correct to the nearest thousand.</p> <p>(a) Write 128 000 in standard form.</p> <p style="text-align: right;"><i>Answer(a)</i> [1]</p> <p>(b) Write down the upper bound of the population.</p> <p style="text-align: right;"><i>Answer(b)</i> [1]</p> |
| 6 | <p>A large water bottle holds 25 litres of water correct to the nearest litre.</p> <p>A drinking glass holds 0.3 litres correct to the nearest 0.1 litre.</p> <p>Calculate the lower bound for the number of glasses of water which can be filled from the bottle.</p> <p style="text-align: right;"><i>Answer</i> [3]</p> |

| | |
|---|--|
| 7 | <p>The number of spectators at the 2010 World Cup match between Argentina and Mexico was 82 000 correct to the nearest thousand.</p> <p>If each spectator paid 2600 Rand (R) to attend the game, what is the lower bound for the total amount paid?</p> <p>Write your answer in standard form.</p> <p style="text-align: right;"><i>Answer R</i> [3]</p> |
| | |
| 8 | <p>A circle has a radius of 8.5 cm correct to the nearest 0.1 cm.</p> <p>The lower bound for the area of the circle is $p\pi\text{ cm}^2$.</p> <p>The upper bound for the area of the circle is $q\pi\text{ cm}^2$.</p> <p>Find the value of p and the value of q.</p> <p style="text-align: right;"><i>Answer p</i> = <i>q</i> = [3]</p> |
| | |

| | |
|----|---|
| 9 | <p>A rectangle has length 5.8 cm and width 2.4 cm, both correct to 1 decimal place.</p> <p>Calculate the lower bound and the upper bound of the perimeter of this rectangle.</p> <p style="text-align: right;"><i>Answer</i> Lower bound cm</p> <p style="text-align: right;">Upper bound cm [3]</p> |
| | |
| 10 | <p>The volume of a cuboid is 878 cm^3, correct to the nearest cubic centimetre.</p> <p>The length of the base of the cuboid is 7 cm, correct to the nearest centimetre.</p> <p>The width of the base of the cuboid is 6 cm, correct to the nearest centimetre.</p> <p>Calculate the lower bound for the height of the cuboid.</p> <p style="text-align: right;"><i>Answer</i> cm [3]</p> |

| 11 | <p>The sides of a square are 8 cm, correct to the nearest centimetre.</p> <p>Calculate the upper bound for the area of the square.</p> <p>..... cm² [2]</p> |
|----|--|
| | |