

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY



Paper 3 (Extended)

0620/03

October/November 2006

1 hour 15 minutes

Candidates answer on the Question Paper. No Additional Materials required.

Candidate Name			
Occiden		O and lister	
Centre Number		Candidate Number	

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen in the spaces provided on the Question Paper.

You may use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN THE BARCODE.

DO NOT WRITE IN THE GREY AREAS BETWEEN THE PAGES.

Answer all questions.

The number of marks is given in brackets [] at the end of each question or part question.

A copy of the Periodic Table is printed on page 16.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
Total	

1			the following nce or not at a		uestions below. Each	gas may be used
		ammonia	argon		carbon monoxide	chlorine
		ethene	hydrogen	nitrogen	oxygen	
	<i>(</i> i)	Which gas				
	(1)	is a noble	yas,			
	(ii)	is an acidio	c oxide,			
	(iii)	can be pol	ymerised,			
	(iv)	is the activ	e component	of air,		
	(v)	is used in	the treatment	of water,		

[6]

(vi) is a product of respiration?

2 The table shows the melting points, boiling points and electrical properties of the six substances A to F.

For Examiner's Use

substance	melting point / °C	boiling point / °C	electrical conductor at room temperature	electrical conductor of substance dissolved in water
Α	961	2193	good	does not dissolve
В	113	444	does not conduct	does not dissolve
С	0	100	very poor	very poor
D	803	1465	does not conduct	good
E	–5 to -10	102 to 105	good	good
F	-85	-60	does not conduct	does not dissolve

(i)	Which three substances are solids at room temperature?	
		[1]
(ii)	Which one is an ionic compound?	[1]
 (iii)	Which one is a gas at room temperature?	[1]
 (iv)	Which two substances are liquids at room temperature?	[1]
(v)	Which substance is a metal?	[1]
	Which one is an impure substance?	[1]
•••••		ניו

3

Calciun	n carbonate is an important raw material.
(a) Na	me a rock which is made up of calcium carbonate.
*****	[1]
(b) Wh	ten calcium carbonate is heated strongly, it decomposes. $\text{CaCO}_3 \rightarrow \text{CaO} + \text{CO}_2$
(i)	Calculate the relative formula mass of:
	CaCO ₃
	CaO[2]
(ii)	7.00 kg of calcium oxide was formed. What mass of calcium carbonate was heated?
	[2]
(c) Ca	cium carbonate is used to control soil acidity.
(i)	Why is it important to control soil acidity?
	[1]
(ii)	Both calcium carbonate, insoluble in water, and calcium oxide, slightly soluble, are used to increase soil pH. Suggest two advantages of using calcium carbonate.
	[2]
(iii)	Give one use of calcium carbonate other than for making calcium oxide and controlling soil pH.
	[1]

Min	imis	ing air pollution is essential for health and for the environment.
(a)	Nat	ural gas is methane.
	(i)	Write the equation for complete combustion of methane.
		[2]
	(ii)	Explain why it is dangerous to use a gas fire in a poorly ventilated room.
		[2]
(b)	but	v sulphur fuels are being introduced. Ordinary diesel contains 500 ppm of sulphur low sulphur diesel contains less than 50 ppm. Why is this an advantage to the ironment?
		[2]
(c)		alytic converters reduce pollution from motor vehicles, as shown in the following gram.
	cark	les of nitrogen oon monoxide less harmful gases to atmosphere
		catalysts rhodium, platinum, palladium
	(i)	What type of elements are the metals rhodium, platinum and palladium?
		[1]
	(ii)	Rhodium catalyses the decomposition of the oxides of nitrogen.
		$2NO \rightarrow N_2 + O_2$
		Two other pollutants are carbon monoxide and unburnt hydrocarbons. How are they made into less harmful substances?
		[2]

5 Ammonia is manufactured by the Haber Process.

For Examiner's Use

$$N_2(g)$$
 + $3H_2(g)$ \rightleftharpoons $2NH_3(g)$ 200 atmospheres 450°C

The forward reaction is exothermic.

(a)	(i)	What is the catalyst for this reaction?	
			[1]
	<i>(</i>)		
	(ii)	Newer catalysts have been discovered for this process. Using these catalysts, to operating temperature is lowered from 450°C to 400°C. What is the advantage using a lower temperature? Explain your answer.	
		advantage	••••
		explanation	
			[2]
(b)	the	er passing over the catalyst, the mixture contains 15% of ammonia. It is cooled a ammonia liquefies and is separated from the unreacted nitrogen and hydrogery are recycled.	
	(i)	How are the gases recycled?	
			[1]
	(ii)	Only ammonia gas liquefies. Suggest an explanation for this.	
			[1]
(c)		ea, $CO(NH_2)_2$, is one of the fertilisers manufactured from ammonia. monia is heated with carbon dioxide.	
	(i)	Write an equation for the manufacture of urea.	
			[2]
	(ii)	Explain why urea on its own might not be very effective in promoting crop growth.	•
			[1]

(d) Give a diagram showing the arrangement of the valency electrons in one molecule of the covalent compound urea. Its structural formula is given below.

For Examiner's Use

$$O = C \setminus_{N \setminus_{H}}^{N \setminus_{H}}$$

Use o to represent an electron from a carbon atom. Use x to represent an electron from a hydrogen atom. Use • to represent an electron from a nitrogen atom.

[3]

6 An ore of copper is the mineral, chalcopyrite. This is a mixed sulphide of iron and copper.

For Examiner's Use

(a) Analysis of a sample of this ore shows that 13.80 g of the ore contained 4.80 g of copper, 4.20 g of iron and the rest sulphur.

Complete the table and calculate the empirical formula of chalcopyrite.

	copper	iron	sulphur
composition by mass/g	4.80	4.20	
number of moles of atoms			
simplest mole ratio of atoms			


	The	e empirical formula is	[3]
			[1]
(b)	Imp	oure copper is extracted from the ore. This copper is refined by electrolysis.	
	(i)	Name; the material used for the positive electrode (anode),	
		the material used for the negative electrode (cathode),	
		a suitable electrolyte.	
	(ii)	Write an ionic equation for the reaction at the negative electrode.	[3]
	()	·	[1]
	(iii)	One use of this pure copper is electrical conductors, another is to make alloy Name the metal that is alloyed with copper to make brass.	/S.
			[1]

(c)	Two of the elements in chalcopyrite are the metal, copper, and the non-metal, sulphur. These have different properties. Copper is an excellent conductor of electricity and is malleable. Sulphur is a poor conductor and is not malleable, it is brittle. Explain, in terms of their structures, why this is so.	For Examiner's Use
	difference in electrical conductivity	
	[2]	
	difference in malleability	
	[2]	


7 The rate of a reaction depends on concentration of reactants, temperature and possibly a catalyst or light.

For Examiner's Use

(a) A piece of magnesium ribbon was added to 100 cm³ of 1.0 mol/dm³ hydrochloric acid. The hydrogen evolved was collected in a gas syringe and its volume measured every 30 seconds.



In all the experiments mentioned in this question, the acid was in excess. The results were plotted to give a graph.



© UCLES 2006

	(i)	The experiment was repeated. Two pieces of magnesium ribbon were added to 100 cm ³ of 1.0 mol/dm ³ hydrochloric acid. Sketch this graph on the same grid and label it X.
		[2]
	(ii)	The experiment was repeated using one piece of magnesium ribbon and 100 cm ³ of 1.0 mol/dm ³ ethanoic acid. Describe how the shape of this graph would differ from the one given on the grid.
		[2]
(b)		action rate increases when concentration or temperature is increased. ng the idea of reacting particles, explain why;
	incr	easing concentration increases reaction rate,
		[2]
	incr	easing temperature increases reaction rate.
		[2]
(c)		rate of a photochemical reaction is affected by light. A reaction, in plants, between on dioxide and water is photochemical.
	(i)	Name the two products of this reaction.
		[2]
	(ii)	This reaction will only occur in the presence of light and another chemical. Name this chemical.
		[1]

8

The three types of food are carbohydrates, proteins and fats.							
(a)	(a) Aqueous starch is hydrolysed to maltose by the enzyme amylase. The formula of maltose is:						
		но — — о — он					
	Starch is hydrolysed by dilute sulphuric acid to glucose.						
		но — Он					
	(i)	What is an enzyme?					
		[1]					
	(ii)	Draw the structure of starch.					
		[1]					
	(iii)	Name the technique that would show that the products of these two hydrolyses are different.					
		[1]					
(h)	Dro	teins have the same linkage as nylon but there is more than one monomer in the					
(D)		cromolecule.					
	(i)	Draw the structure of a protein.					
		[2]					
	(ii)	What class of compound is formed by the hydrolysis of proteins?					
		[1]					

(c)	Fat	s are esters. Some fats are saturated, others are unsaturated.		For
	(i)	Write the word equation for the preparation of the ester, propyl ethanoate.		Examiner's Use
			[2]	
	(ii)	Deduce the structural formula of this ester showing each individual bond.		
	(iii)	How could you distinguish between these two fats?	[2]	
	(,	Fat 1 has the formula		
		$CH_2 - CO_2 - C_{17}H_{33}$		
		$CH_2 - CO_2 - C_{17}H_{33}$ $CH - CO_2 - C_{17}H_{33}$		
		$ CH_2 - CO_2 - C_{17}H_{33} $		
		Fat 2 has the formula		
		CH ₂ - CO ₂ - C ₁₇ H ₃₅		
		 CH - CO ₂ - C ₁₇ H ₃₅		
		$ CH_2 - CO_2 - C_{17}H_{35}$		
		toot		
		test		
		result with fat 1		
		result with fat 2	[3]	
	(iv)	Both of these fats are hydrolysed by boiling with aqueous sodium hydroxide. W type of compounds are formed?	hat	
		and	[2]	
				ı

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

DATA SHEET
The Periodic Table of the Elements

Group	0	4 He Helium	20 Neon 10 At At Argon 18	84 Kr Krypton 36	131 Xe Xeron Xeron 54	Radon 86		Luetium 7.1	Lr Lawrencium 103
			19 Fluorine 9 35.5 C1 Chlorine 17	80 Br Bromine 35	127 I lodine	At Astatine 85		Yb Ytterbium	
	5		16 Oxygen 8 32 \$ \$ Sulphur	Selenium	Te Tellurium	Po Polonium 84		169 Tm Thulium	Md Mendelevium
	>		14 N Nitrogen 7 31 P Phosphorus 15	75 AS Arsenic 33	122 Sb Antimony 51	209 Bi Bismuth		167 Er Erbium 68	Fm ermium
	≥		12 Carbon 6 Carbon 8 Silicon 14	73 Ge Germanium 32	Sn Tin 50	207 Pb Lead		165 Ho Holmium 67	ES Einsteinium
	≡		11 B Boron 5 A1 Auminium 13	70 Ga Gallium 31	115 In Indium 49	204 T l Thallium		162 Dy Dysprosium 66	
				65 Zn Zinc 30	Cadmium 48	201 Hg Mercury 80		159 Tb Terbium 65	BK Berkelium
				64 Copper	108 Ag Silver 47	197 Au Gold		157 Gd Gadolinium 64	Curium
				59 X Nickel	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Am Americium
				59 Co 27	Rhodium 45	192 Ir Indium		Sm Samarium 62	Pu Plutonium
		T Hydrogen		56 Fe Iron	Ruthenium 44	190 Os Osmium 76		Pm Promethium 61	Np Neptunium
				Mn Manganese 25	Tc Technetium 43	186 Re Rhenium 75		Neodymium 60	238 U Uranium
				Chromium	96 Mo Molybdenum 42	184 W Tungsten 74		Pr Praseodymium 59	Pa Protactinium
				51 V Vanadium 23	Niobium 41	181 Ta Tantalum		140 Ce Cerium	232 Th
				48 Ti Titanium 22	91 Zr Zirœnium 40	178 # Hafnium			nic mass bol nic) number
				Scandium	89 × Yttrium 39	139 La Lanthanum 57 *	227 AC Actinium 89	l series eries	 a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		Beryllium 4 24 Magnesium 12	40 Ca Calcium	Strontium	137 Ba Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series	в Х
	_		7 Lithium 3 23 Na Sodium 11	39 K Potassium	Rubidium 37	133 Cs Caesium 55	Fr Francium 87	*58-71 L	Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).