

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER	CANDIDATE NUMBER	
* 🚃			
2 5	COMBINED SC	IENCE	0653/32
9	Paper 3 (Extend	led)	May/June 2010
	• •	,	1 hour 15 minutes
			i nour 15 minutes
_ _	Candidates ans	wer on the Question Paper.	
6		-	
4	No Additional M	aterials are required.	
°			

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 20 printed pages.



(i) Suggest how the flowers of the cacao tree are pollinated, giving a reason for your answer.

[1]

2

For

Use

1

1 b (ii) Explain why cultivating cacao trees may cause less damage to rainforests than cultivating other trees. Examiner's 0653/32/M/J/10 [3]

For

Use

2 (a) A teacher placed a small piece of potassium into a container filled with chlorine gas.
Fig. 2.1 shows what the class observed.




Fig. 2.1

- (i) Suggest the name of the white solid formed when potassium and chlorine react.
 - [1]
- (ii) Fig. 2.2 shows a potassium atom and a chlorine atom.




Fig. 2.2

4

For Examiner's Use Describe and explain, in terms of electronic structures, what happens when potassium and chlorine atoms react with each other. You may draw diagrams in the space below if it helps you to answer the question.

For Examiner's Use

		[4]
2 (b)		tallic potassium can be produced by electrolysis of molten potassium chloride. In process, potassium forms at the cathode.
	(i)	Explain why potassium ions travel to the cathode and not the anode during electrolysis. 0653/32/M/J/10
		[1]
	(ii)	Describe, in terms of electrons, what happens when potassium ions collide with the surface of the cathode. 0653/32/M/J/10
		[2]

- 3 (b) The astronaut has a mass of 96 kg. The gravitational field strength on the Moon is about one sixth of that on the Earth.

State the difference, if any, between

- (i) the mass of the astronaut on the Earth and on the Moon, 0653/32/M/J/10
- (ii) the weight of the astronaut on the Earth and on the Moon. 0653/32/M/J/10
 - [1]

3

(a) Fig. 3.1 shows an astronaut on a space walk. His space suit is designed to stop dangerous electromagnetic radiation from the Sun reaching the astronaut's body.

For Examiner's Use 3 (c) The astronaut stands on the surface of the Moon and drops a ball. The graph in Fig. 3.2 shows the speed of the ball over a period of 1.6 seconds. 0653/32/M/J/10

For Examiner's Use




Fig. 3.2

- (i) On the same graph, sketch a line to show the speed of the same ball if it was dropped on Earth. [1]
- (ii) Explain your answer to (c)(i).

[1]

3	(d)	A ro	ock on the Moon weighs 6 N. The astronaut lifts it up by 2 metr	es. 0653/32/M/J/10		For Examiner's
		(i)	Calculate the work done on the rock.	0030/32/10/3/10		Use
			State the formula that you use and show your working.			
			formula			
			working			
					[2]	
		(ii)	If the rock was lifted in 2 seconds, calculate the power used.	0653/32/M/J/10		
			State the formula that you use and show your working.			
			formula			
			working			
					[2]	

4 Fig. 4.1 shows a section through a human heart, seen from the front.




Fig. 4.1

	(a)	(i)	Name the type of tissue found in the walls of the heart, as shown in the shaded parts in Fig. 4.1.
			[1]
		(ii)	Describe how this tissue is supplied with oxygen.
			[2]
		(iii)	Give the letters of the two labelled blood vessels that contain oxygenated blood.
			and[1]
4	(b)		nts also have transport systems in which liquids flow through vessels. However, y do not have a pump like the heart. 0653/32/M/J/10
		(i)	Explain what makes water flow up through the xylem vessels in a plant.
		(ii)	Describe how sugars, made in a plant's leaves, are transported to its roots.
		(ii)	Describe how sugars, made in a plant's leaves, are transported to its roots.
		(ii)	Describe how sugars, made in a plant's leaves, are transported to its roots.

0653/32/M/J/10


5	(a)	Some fuels are listed below.		0653/32/M/J/10	For Examiner's
		animal dung	coal	wood	Use
		State one reason why coal is a	an example of a fossil	fuel whereas the other two are not.	
				[1]	
5	(b)		I refinery. Compound	illation and catalytic cracking which Is leaving the fractional distillation 0653/32/M/J/10	
		fractional distillation column	= M	catalytic cracker / N	
			=	strong heat	
		L→=	=		
			Fig. 5.1		
		(i) Name the raw material wh	ich enters at L.	0653/32/M/J/10 [1]	
				and odour, in which the mixture of pounds at L. 0653/32/M/J/10	
				101	
				[2]	
		(iii) Describe briefly two ways mixture of compounds at I		of compounds at N differs from the 0653/32/M/J/10	
		1			
		2		[2]	

	(iv)	Some of the compounds in the mixture at N can be used in addition polymerisation.	For Examiner's Use
		Explain why addition polymers can be made from molecules in the mixture at N but not from molecules in the mixture at M .	
		0653/32/M/J/10 You may draw a diagram if it helps you to answer this question.	
		[2]	
5 (c)	A s	tudent investigated the combustion products of the liquid fuel ethanol.	
	He	observed that a gas and a colourless liquid were produced.	
	(i)	The student applied a chemical test to the colourless liquid and found that it was water.	
		Describe a suitable chemical test for water and its result. 0653/32/M/J/10	
		[2]	
	(ii)	Complete the equation below for the combustion of ethanol. 0653/32/M/J/10	
		C_2H_6O + $\rightarrow 2CO_2$ + $3H_2O$ [2]	

0653/32/M/J/10

For Examiner's Use

6 Fig. 6.1 shows a cube.



12



(a) The mass of the cube is 21.6 g.

Calculate the density of the cube.

State the formula that you use and show your working.

formula

working

[3]

 ${\bf 6}$ (b) The solid cube is made up of very small particles. Fig. 6.2 shows their arrangement.

0653/32/M/J/10




Fig. 6.2

(i) Complete the diagrams below to show the arrangement of particles in a liquid For and in a gas. Examiner's Use liquid gas [2] (ii) Explain your answer to (b)(i) in terms of forces between particles. [2] (c) Explain, in terms of particles, why a solid expands when heated 0653/32/M/J/106 [1] 6 (d) Describe one problem caused by a solid metal expanding when it gets hot. 0653/32/M/J/10 [2]

7 (a) A student peeled a layer of cells from the inside of an onion bulb. He placed them in a drop of water on a microscope slide and covered them with a coverslip.

Fig. 7.1 shows what he saw when viewing the cells through a microscope.





Fig. 7.2 shows what he saw.

0653/32/M/J/10

For

Examiner's Use



He waited for five minutes and then looked at the cells through the microscope again.

Fig. 7.2

	(i)	On Fig. 7.2, label a partially permeable membrane.	[1]	For Examiner's
	(ii)	Using your knowledge of osmosis, explain what has happened to the cells Fig. 7.2.	in	Use
			[3]	
7 (c)		on cells often contain stores of starch. When a person eats an onion, the starch ested.	is	
	Des	scribe how starch is digested in the human alimentary canal. 0653/32/M/J/10		
			[3]	

(a) A student used the apparatus in Fig. 8.1 to investigate the rate of a reaction. 8




Fig. 8.1

The student dropped the magnesium into the acid contained in the side-arm test-tube and put in the bung. A stopwatch was used to time how long it took for 50 cm³ of gas to collect in the syringe.

The student carried out four experiments A, B, C and D, and the results are shown in Table 8.1. Table 8.1

experiment	time for 50 cm ³ of gas to collect in the gas syringe/seconds
Α	36
В	18
С	144
D	72

- (i) Explain how the results show that experiment **B** had a higher rate of reaction than experiment A. 0653/32/M/J/10

.....[1]

(ii) The only variable (factor) which was different between the four experiments A, B, **C** and **D** was the concentration of the dilute hydrochloric acid.

Using the letters A, B, C and D, list the experiments in order of decreasing acid concentration. 0653/32/M/J/10

 (highest concentration)
(lowest concentration)

For Examiner's

Use

(iii) Fig. 8.2 shows a piece of magnesium in a beaker of dilute hydrochloric acid. The

For Examiner's Use




Fig. 8.2

Explain, in terms of ions, why the rate of reaction will change when the concentration of the acid is changed.

[3]

8 (b) Magnesium reacts with hydrochloric acid to form magnesium chloride and hydrogen gas.

The chemical formula for magnesium chloride is $MgCl_2$. Use the Periodic Table on page 20 to calculate the relative formula mass of magnesium chloride.


Show your working.

0653/32/M/J/10

[2]



9 (a) Fig. 9.1 shows a teacher with a torch (flash light). He switches the torch on and points it at the mirror.



(ii) To measure the current through the lamp and the voltage across the lamp, the student set up the circuit in Fig. 9.2. Examiner's 0653/32/M/J/10





Fig. 9.2

The student sketched a graph of current against voltage for the lamp. This is shown in Fig. 9.3.



For

Use

	0	4 Heium	20 20 Neon 10 Argon 18 Argon	84 Kry ton 36	131 Xenon 54	Radon 86		175 Lu Lutetium 71	Lr Lawrencium 103
	١١		19 Fluorine 9 35.5 C 1 17 Chlorine	80 Bromine 35	127 I Iodine 53	At Astatine 85		173 Yb ^{Ytterbium} 70	Nobelium 102
	N		16 Oxygen 8 32 32 Sulfur 16	79 Selenium 34	128 Te ^{Tellurium}	Po Polonium 84		169 Tm ^{Thulium}	Mendelevium 101
	>		14 Nitogen 31 15	75 AS Arsenic 33	122 Sb Antimony 51	209 Bi Bismuth		167 Er ^{Erbium}	Fermium 100
	\geq		12 Carbon 6 28 28 Siicon	73 Ge Germanium 32	119 Sn 50	207 Pb Lead 82		165 HO Holmium 67	Einsteinium 99
	≡		11 B B Boron 5 27 27 Auminium 13	70 Ga 31	115 In Indium 49	204 T 1 Thallium 81		162 Dy Dysprosium 66	Californium 98
				65 Zn 30 ^{Zinc}	112 Cadmium 48	201 Hg ^{Mercury} 80		159 Tb ^{Terbium} 65	BK Berkelium 97
Group Group				64 Cupper 29	108 AG Silver	197 Au Gold 79		157 Gd Gadolinium 64	Ourium 96
Group				59 Nickel 28	106 Pd Palladium 46	195 Pt Platinum 78	_	152 Eu 63	Am Americium 95
			_	59 CO ²⁷	103 Rh Rhođium 45	192 I r Iridium		150 Samarium 62	
ש ש		Hydrogen	_	56 Fe	101 Rut Ruthenium 44	190 OS Osmium 76		Promethium 61	Neptunium 93
				55 Mn Manganese 25	Technetium	186 Re Rhenium 75		144 Neodymium 60	238 Uranium 92
				52 Cr Chromium 24	96 Mo Molybdenum 42	184 V Tungsten 74		141 Pr Praseodymium 59	Pa Protactinium 91
				51 Vanadium 23	93 Nb Niobium	181 Ta Tantalum 73	_	140 Ce ^{Cerium}	232 Th orium 90
				48 Titanium 22	91 Zr Zirconium 40	178 Hafnium 72		1	nic mass Ibol nic) number
			· · · · · · · · · · · · · · · · · · ·	45 Sc Scandium 21	89 Yttrium 39	139 La Lanthanum 57 *	227 Actinium 89 †	l series eries	a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		9 Beryllium 4 Beryllium 24 Magnesium	40 Ca ^{Calcium} 20	88 Sr strontium 38	137 Ba Barium 56	226 Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series	<u>م</u> × م
									1

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.