## MARK SCHEME for the May/June 2011 question paper

## for the guidance of teachers

## 0653 COMBINED SCIENCE

0653/61

Paper 6 (Alternative to Practical), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

	Page 2	2	Mark Scheme: Teachers' version	Syllabus	Paper
			IGCSE – May/June 2011	0653	61
1	(a) (i)		86, 31, 27 ;; 4 correct = 2 marks, 3 correct = 1 mark)		[2]
	(ii)	yes,	similar repeats <b>OR</b> no, repeats too different ;		[1]
	(iii)	1 ma 89.5 29 ;	ark for a correct mean formula (e.g. 93 + 86/2) ; ;		[3]
	(iv)	inha	led air longer time (than exhaled) ; led has more oxygen ;		[2]
	(v)	high	loudy ( <b>A</b> not)) er CO <sub>2</sub> ; respiration ;		[2]
					[Total: 10]
2	(a) (i)	0.2,	0.3, 0.4 (all 3 = 1 mark) ;		[1]
	(ii)	50, 6	68 (both required) ;		[1]
	(iii)	corre	lled axes and sensible scales ; ect points ; ght line through origin ;		[3]
	(iv)		oortional / linear ; e to) straight line (graph) ;		[2]
	(v)		n graph (42 mm)+/- 1 ; <u>r</u> indication on graph ;		[2]
	(b)				
			;		[1]

[Total: 10]

Page	3		Mark Scheme: Teachers' version Syllabus			Paper	
		IGC	SE – May/June 2011		0653	61	
(a) (i		(damp) (red) litmus ; turns blue ;					
(ii	) amn	nonium (ion) ;				[	
(b) (i	) iron <sup>3</sup>	<sup>++</sup> / iron(III) / Fe <sup>3+</sup> (	( <b>not</b> iron <sup>2+</sup> etc.) ;			['	
(ii	white	lified) silver nitrat e ppt. if positive /	$C\hat{l}$ present;				
	no c	hange if negative	•			[;	
(iii	) sulfa	ite (ion) ;				[	
(iv	) to re	to remove / dissolve any carbonate (ions present) ;					
<b>(c)</b> ire	<b>c)</b> iron(III) ammonium sulfate (allow ecf but must be 2 cations and 1 anion) ;						
						[Total: 10	
						[Total: 10	
(a) (i	) at te at te	mperature 10 °C mperature 40 °C	volume = 25 cm <sup>3</sup> ; volume = 61 cm <sup>3</sup> ;			[Total: 10	
(a) (i	at te	mperature 10 °C mperature 40 °C temperature / °C	volume = 61 cm <sup>3</sup> ; increase in volume of dough	rate of inc volume c (v-25	m <sup>3</sup> / min	-	
	at te	mperature 40 °C	volume = 61 cm <sup>3</sup> ; increase in volume of		m <sup>3</sup> / min	-	
	at te	mperature 40 °C temperature / °C	volume = 61 cm <sup>3</sup> ; increase in volume of dough (v-25) / cm <sup>3</sup>	volume c (v-25	m <sup>3</sup> / min	-	
	at te	mperature 40 °C temperature / °C 10	volume = 61 cm <sup>3</sup> ; increase in volume of dough (v-25) / cm <sup>3</sup> <b>0</b>	volume c (v-25 <b>0</b>	m <sup>3</sup> / min	-	
	at te	temperature 40 °C / °C 10 20	volume = 61 cm <sup>3</sup> ; increase in volume of dough (v-25) / cm <sup>3</sup> 0 6	volume c (v-25 0 0.2(0)	m <sup>3</sup> / min	-	
	at te	mperature 40 °C temperature /°C 10 20 30	volume = 61 cm <sup>3</sup> ; increase in volume of dough (v-25) / cm <sup>3</sup> 0 6 22	volume c (v-25) 0 0.2(0) 0.73	m <sup>3</sup> / min	-	
	at te	mperature 40 °C temperature /°C 10 20 30 40	volume = 61 cm <sup>3</sup> ; increase in volume of dough (v-25) / cm <sup>3</sup> 0 6 22 36	volume c (v-25 0 0.2(0) 0.73 1.2(0)	m <sup>3</sup> / min	-	
	at te	mperature 40 °C temperature /°C 10 20 30 40 50	volume = 61 cm <sup>3</sup> ; increase in volume of dough (v-25) / cm <sup>3</sup> 0 6 22 36 29 0	volume c (v-25 0 0.2(0) 0.73 1.2(0) 0.97	m <sup>3</sup> / min	-	
	at te	mperature 40 °C temperature / °C 10 20 30 40 50 60	volume = 61 cm <sup>3</sup> ; increase in volume of dough (v-25) / cm <sup>3</sup> 0 6 22 36 29 0 mpleted ;;	volume c (v-25 0 0.2(0) 0.73 1.2(0) 0.97	m <sup>3</sup> / min	[	
(ii	at te	mperature 40 °C temperature /°C 10 20 30 40 50 60 mn 2 correctly co	volume = 61 cm <sup>3</sup> ; increase in volume of dough (v-25) / cm <sup>3</sup> 0 6 22 36 29 0 mpleted ;;	volume c (v-25 0 0.2(0) 0.73 1.2(0) 0.97	m <sup>3</sup> / min	[	

- (c) incubator / oven / water bath set ;
- (d) 20 to 30 °C (increasing rate of reaction) enzyme gaining (kinetic) energy;
  40 to 60 °C (decreasing rate of reaction) because enzymes are becoming denatured / destroyed;

[2]

[1]

	Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
		IGCSE – May/June 2011	0653	61
5	<b>(ii)</b> 1.5 ;	(+/- 0.1);		[2]
	<b>(b)</b> 31.3 ; 42.8 ;			[2]
		+ 4.4 = <b>11.3</b> ; + 1.5 = <b>20.9</b> ; + 4.8 = <b>8.9</b> ; (answers = 1 mark each) (ecf)		[3]
	(d) A = lead	<b>B</b> = gold <b>C</b> = copper ; (ecf)		[1]
				[Total: 10]
6	<b>(a) (i)</b> 73 ; 39 ;			[2]
	• •	ast 5 points correctly plotted for each oxide ;; pelled curves / lines ;; (allow 1 mark if lines not label	lled)	[4]
	(iii) MnC	$\mathcal{D}_2$ (no mark), more gas given off / gas given off faste	er / graph steeper ;	[1]
	(b) spatula r stopclocł	neasures inaccurate / delay in putting stopper back in < ;	n / delay in starting	[1]
	use agai	wash catalyst ; n/compare mass before and after ; e again', 'on its own' = no marks)		[2]
				[Total: 10]