## MARK SCHEME for the October/November 2011 question paper

## for the guidance of teachers

## 0653 COMBINED SCIENCE

0653/62

Paper 6 (Alternative to Practical), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



	Page 2		Mark Scheme: Teachers' version	Syllabus	Paper
			IGCSE – October/November 2011	0653	62
1	(a) (i)	3 rea	adings in table i.e. 103, 66 and 45 ;; (all 3 = 2 marks	, any 2 = 1 mark)	[2]
	(ii)		sion ; neutralising/reacting with the alkali/indicator colou	rless in acid ;	[2]
	(iii)	0.6,	0.8, 1.0 ;		[1]
	(iv)		increases with smaller volume or reverse argument sion distance less/distance acid (has to) travel is le		[2]
	sho	<ul> <li>(b) large surface (area);</li> <li>short diffusion path;</li> <li>large blood supply;</li> <li>thin walls;</li> </ul>			
		thin walls ; many villi ;			[max 3]
					[Total: 10]
2	(a) (i)	(litm	us turns) blue ;		[1]
	(ii)	amn	nonium chloride ; (allow NH₄C <i>l</i> )		[1]
	(b) (i)		e precipitate ; olves (on adding more sodium hydroxide) ; (allow tion)	turns to a colourle	ess [2]
	(ii)	sulfa	ate (ions) ; (allow SO <sub>4</sub> <sup>2–</sup> )		[1]
	(iii)		cipitate) turns dark(er) (black etc.) ; ride (ions) ; (allow C <i>l<sup>-</sup></i> )		[2]
	am	moniu	nc sulfate ; um chloride ; hloride ;		
			um sulfate ;		[max 2]
	<b>(d)</b> NH	<sub>3</sub> +	$HCl \rightarrow NH_4Cl$		[1]
					[Total: 10]

Page 3		3	Mark Scheme: Teachers' version	Syllabus	Paper
			IGCSE – October/November 2011	0653	62
3	(a) (i)	62°	(± 1 degree) ;		[1]
	(ii)	32 m	nm (± 1 mm) ;		[1]
	(iii)		101 mm (± 1 mm) ; 60 mm (± 1 mm) ;		[2]
	(b) (i)	all p	able scale chosen and at least 1 axis correctly label oints plotted ± 1 small square (allow 1 error) ; ooth curve drawn and extended to 90°;	led ;	[3]
	(ii)		lacement distance shown on graph ; measured 60mm (or as candidate's graph) ;		[2]
	<b>(c)</b> 'th	<b>(c)</b> 'the width' or ' <b>w</b> ' ;			
					[Total: 10]
4	(a) (i)	6 mr	n ;		[1]
	(ii)		5 ; 4 mm ;		[2]
	(b) (i)	good	d quality drawing ;		[1]
	(ii)		th taken from student's drawing ;		
			nification = length/0.4 ; nswer according to student's reading ;		[3]
	(c) (i)	chlo	roplast ;		[1]
	(ii)	phot	tosynthesis does not take place in these cells ;		[1]
	(iii)	vacu	uole labelled ;		[1]
					[Total: 10]
5	(a) (i)	any	suitable acid-base indicator. e.g. litmus, methyl ora	nge, phenolphthalei	n ;

(a) (i) any suitable acid-base indicator. e.g. litmus, methyl orange, phenolphthalein;
 (reject Universal Indicator but allow e.c.f. for correct colours)

	correct colours: litmus methyl orange phenolphthalein	in acid red red colourless	in alkali blue yellow red :	[2]
(ii)	sodium citrate ;		100,	[2]

© University of Cambridge International Examinations 2011

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0653	62
le	range: 11.8 ; mon: 24.3 ; rapefruit: 17.4 ; (no tolerance)		[3]
<b>(ii)</b> 1	1.8, 23.5, 12.7 (e.c.f.) ;		[1]
(iii) le	mon, grapefruit, orange ;		[1]
	ured/same volume of juice ; ured/known sodium hydroxide concentration ;		[2]
			[Total: 10]
<b>(a)</b> 0.7 cm	; 1.4 cm ; 1.0 cm ; (no tolerance)		[3]
th	hen the zero adjuster moves 1 (mm), the scale will move e pointer arm is 10 times as long as the zero a ovement of pointer is 10 times larger/owtte ;		; [max 2]
<b>(ii)</b> 1.	8mm, 0.7mm, 1.4mm, 1.0mm (3 or 4 correct) ;		[1]
<b>(c)</b> zinc, a	luminium, copper, iron ;		[1]
<b>(d) (i)</b> th	ey vibrate (but stay in the same place) ;		[1]
th	eat energy is given to the atoms ; ey collide with each other more (with higher ener way (from each other) ;	gy/more force)/pusł	ו [2]
			[Total: 10]