UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2012 question paper for the guidance of teachers

0653 COMBINED SCIENCE

0653/22

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0653	22
() (1)			
(a) (i) arg	entite and galena (or formulae);		l

(ii) scheelite (or formula); [1]

[2] (b) each particle correctly labelled ;;

(c) (i) heat given off/exothermic/temperature increases; effervescence/fizzing/gas given off; sodium (reacts and) dissolves;

[max 2]

(ii) faster/more violent/greater temperature rise/reference to (lilac) flame; [1]

(iii) → potassium hydroxide + hydrogen ;; [2]

[Total: 9]

2 (a) suitable units;

suitable labelled axes; all points plotted correctly; 3 correct lines drawn;

[4]

(b) (i) water/sweat turns to gas/(water) vapour;

heat is needed/used to cause evaporation;

heat is obtained/taken/comes from (athlete's) body/so heat in (athlete's)

body is reduced:

accept answers based on particle theory.

[max 2]

(ii) (higher) temperature;

(lower) humidity;

(greater) wind speed;

(greater) surface area;

[Total: 8]

[max 2]

3 (a) (chemical reactions that) break down nutrient (molecules)/glucose; to release energy; [2]

(b)

)			
gas	percentage in inspired air	percentage in expired air	
oxygen ;	21	17	
carbon dioxide ;	0.04	4	
nitrogen ;	78	78	

[3]

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0653	22

(c) diffusion in the lungs;

in red blood cells;

combined with/attached to, haemoglobin;

[max 2]

(d) (i) increases pulse rate/makes heart beat faster;

[1]

(ii) anything related to fear or excitement;

[1]

(iii) liver;


[1]

[Total: 10]

4 (a) transverse/longitudinal/difference frequency/wavelength/different speed; [1]

uses

(b) radiation



all correct 3 marks/three or two correct 2 marks/one correct 1 mark ;;;

- (c) (i) (speed =) distance/time; = 500/1.5 = 333 (m/s); [2]
 - (ii) between 10 and 20 (Hz) to between 20 000 and 25 000 (Hz); [1]
 - (iii) (density =) mass/volume; = $10\ 000/1.1 = 9091\ (kg/m^3)$; [2]

[Total: 9]

[3]

Pag				Paper
r	remove: OR	chlorine / ozone / ultrafiltration / boiling; s / kills harmful microorganisms;	0653	22
	filtration remove	s insolubles ;		[max 2]
i (i i (in the m OR in water in the m OR (chemic	r (molecules) hydrogen (atoms) are bonded to oxygenixture only like atoms are bonded; the H:O ratio is 2:1; nixture no fixed ratio; cal) properties of compound are different from those; retains properties of elements it contains;		its it [max 2]
(c)		at/boil/leave; er evaporates/leaving crystals;		[2]
() cane is a liquid (at room temperature) ; also passes through filter ;		[2]
(d)	(i) it ga	ains electrons ;		[1]
(•	gnesium oxide reacted with the water ; I formed, an alkaline solution/product/magnesium h	ydroxide ;	[2]
				[Total: 11]
(a) (cha	inge shape ; inge speed/start object moving/stop object moving/ inge direction (of motion) of object ;	acceleration etc;	[max 2]
((ii) ne	wton ;		[1]
` ,	B (no m	nark) ; ecelerating, (force) B as is greater than (force) F ;		[1]
k H	chemica burned kinetic ;	· ;		
	heat ; sound ;			[5]

5

6

	(d)	carl hyd	ction between the fuel/gasoline and oxygen/air/complete combustion; con reacts with oxygen to give carbon dioxide; rogen reacts with oxygen to give water; con dioxide and water are (combustion) products/products of burning;	[max 2]
				[Total: Ti]
7	(a)	red	es shade sand ; uces the temperature ; erence to figures from the graph/quantitative comparison ;	[max 2]
	(b)		n sand is hotter and so produced more females ; est cooler and so produced more males ;	[2]
	(c)		prestation will result in hotter/more open sand;	
			nore female turtles produced; ch might make breeding difficult/might reduce number of young born;	[max 2]
	(d)	less	eased carbon dioxide/effects of increased carbon dioxide; s oxygen (in the atmosphere);	
		-	re soil) erosion / landslides ; re) flooding ;	[max 2]
				[Total: 8]
8	(a)	(i)	(expt. 2) potassium hydroxide is an alkali ;	[1]
		(ii)	(expt 1) temperature decreased ;	[1]
	((iii)	no reaction occurred/no energy was transferred; copper is less reactive than magnesium (so no reaction);	[max 1]
	(b)		rate of reaction was greater;	
			energy was transferred more quickly/temperature increases more quickly; ause powder has greater surface area;	[max 2]
				[Total: 5]

Mark Scheme: Teachers' version IGCSE – May/June 2012

Page 5

Syllabus 0653 Paper 22

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0653	22

9 (a) catalyst;

biological/that works in living organisms ;
protein ; [max 2]

(b) greatest activity at pH 6.5; no activity at below pH 4/above pH 9;

(c) (i) curve of similar shape with peak at pH 4 or below; [1]

(ii) sodium hydrogencarbonate neutralises/reacts with the acid/sodium hydrogencarbonate is a base; so pH rises (above optimum for enzyme)/becomes too alkaline/pH too high; [2]

(d) so they can be absorbed; into cells/into the blood/to be carried round the body; [2]

[Total: 9]

[2]