

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER	CANDIDATE NUMBER	
*			
0 3	COMBINED SC	IENCE	0653/32
5 2	Paper 3 (Extend	led)	May/June 2012
8			1 hour 15 minutes
5	Candidates ans	wer on the Question Paper.	
970		aterials are required.	

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 19 printed pages and 1 blank page.



**1** (a) Most atoms of metallic elements found in the Earth's crust exist in compounds called ores which are contained in rocks.

For Examiner's Use

The chemical formulae of some metal compounds found in ores together with the names of the ores are shown below.

0653/32/M/J/12

argentite	$Ag_2S$
chromite	FeCr <sub>2</sub> O <sub>4</sub>
galena	PbS
scheelite	CaWO <sub>4</sub>

1 a (i) A binary compound is one that contains only two different elements.

State which of the compounds in the list above are binary compounds.

0653/32/M/J/12 [1] 1 a (ii) State the ore from which the metallic element tungsten could be extracted. 0653/32/M/J/12 [1]

1 (b) Fig. 1.1 shows an incomplete diagram of an atom of an element **Q** in which only the outer shell electrons are shown. 0653/32/M/J/12





Fig. 1.1

**1 b (ii)** Element **Q** combines with hydrogen to form covalent molecules which have the formula QH<sub>4</sub>.

For Examiner's Use

Complete the bonding diagram below to show how the bonding electrons are arranged.

0653/32/M/J/12



- [2]
- **1 b** (iii) Element **Q** may be extracted from its oxide, QO<sub>2</sub>, in a reaction with carbon, C.

In this reaction, the compound carbon monoxide, CO, is formed in addition to the free element  ${\bf Q}.$ 


Suggest a balanced symbol equation for this reaction. 0653/32/M/J/12

[2]

- 2 An athlete warms up by running along a race track.
  - 2 (a) He accelerates from rest and after 10 seconds reaches a maximum speed of 7 m/s. 0653/32/M/J/12 He continues at this speed for another 10 seconds.

During the next 5 seconds, he steadily slows down and stops.

Draw a speed-time graph to show the motion of the athlete.



2 (b) He then competes in a 200 m running race.

2 b (i) He completes the race in 25 seconds.

Calculate his average speed.

State the formula that you use and show your working.

formula used


working

[2]

For Examiner's Use

0653/32/M/J/12

3	(a)	Define the term <i>respiration</i> .	0653/32/M/J/12	For Examiner's Use
			[2]	
3	(b)	State the balanced symbolic equation for aerobic respiration.	0653/32/M/J/12	
			[2]	
3	(c)	Outline how oxygen is transported to a respiring cell in a muscle.	0653/32/M/J/12	
			[2]	



4	(d)	Describe how to find the density of a small irregular object such as a tooth. 0653/32/M/J/12	Use
		[	3]

5 Water supplies are often impure and have to be purified to make them safe for humans to drink. Examiner's 5 (a) State one way that harmful bacteria may be removed from water during purification. 0653/32/M/J/12 [1] 5 (b) Water is a compound which contains the elements hydrogen and oxygen. Describe one difference, other than physical state, between the compound water and a mixture of the elements hydrogen and oxygen. 0653/32/M/J/12 ..... 

[2]

(c) Table 5.1 shows information about water and three compounds that can form mixtures 5 with water. 0653/32/M/J/12

Table 5.1	
-----------	--

compound	melting point/°C	boiling point/°C	solubility in water
water	0	100	-
sodium chloride	801	1413	soluble
silicon dioxide	1650	2230	insoluble
hexane	-95	69	insoluble

5 c (i) State which compound in Table 5.1 could be separated from a mixture with water by filtration. 0653/32/M/J/12

5 c (ii) Explain why the other two compounds cannot be separated from a mixture with water by filtration. 0653/32/M/J/12

[2] .....

0653/32/M/J/12

© UCLES 2012

For

Use

**5 (d) (i)** A student was asked to use the reaction between the insoluble compound zinc carbonate and dilute sulfuric acid to make a solution that contained only the salt zinc sulfate.

Describe the main steps of a method the student should use to carry out this task.

You may draw labelled diagrams if it helps you to answer this question.

0653/32/M/J/12

[3]

5 d (ii) Suggest the word chemical equation for the reaction between zinc carbonate and dilute sulfuric acid. 0653/32/M/J/12

[2]

(a) A car tyre is inflated with air using a footpump. The mechanic using the footpump 6 notices that the pump gets hot. The air going into the tyre is warmed up by the pumping. Describe what happens to the motion of the air molecules as the air warms up. 0653/32/M/J/12 [1] 6 (b) Many forces act on a car tyre during a car journey. 0653/32/M/J/12 State three effects that forces can have on an object. 1 ..... 2 \_\_\_\_\_ 3 -----[2] 6 (c) Car brake lights (stop lights) light up when the driver presses on the footbrake pedal. The pedal acts as a switch. 0653/32/M/J/12 Draw a circuit diagram including a battery to show how this works. Design your circuit so that, if one brake light fails, the other still lights up.

For

Examiner's Use 7 Hawksbill turtles are an endangered species. Adults spend most of their lives at sea, but the females come ashore to lay their eggs. They bury their eggs in nests in the sand, either on a beach or in the vegetation that grows just behind the beach.

0653/32/M/J/12

For

Examiner's Use

sand

The sex of hawksbill turtles is determined by the temperature of the sand in which the eggs develop.

- At 29 °C, equal numbers of males and females develop.
- Higher temperatures produce more females.
- Lower temperatures produce more males.

There is concern that in recent years too many female turtles have been produced, and not enough males.

7 (a) Researchers measured the temperature, at a depth of 30 cm, in four different parts of a beach, on Antigua, where hawksbill turtles lay their eggs. The results are shown in Fig. 7.1. The tops of the bars represent the mean temperature.




Fig. 7.1

With reference to Fig. 7.1, describe the effect of the presence of trees on the temperature of the sand.

[2]

7 (b) The researchers counted the proportion of male and female turtles hatching from nests in the four different parts of the beach. The results are shown in Table 7.1.

Table 7.1

nests producing nests producing nests producing part of beach more males than more females than equal numbers of females and males females males 0 16 0 open sand 24 low vegetation 31 6 edge of forest 0 11 61 0 0 in forest 36

(i) State the part of the beach in which most female hawksbill turtles chose to lay their eggs. 0653/32/M/J/12

.....[1]

(ii) Use the information in Fig. 7.1 to explain the results for nests in open sand and in forest, shown in Table 7.1. 0653/32/M/J/12

.....

[2]

7 (c) Tourism is an important industry in Antigua. The vegetation on many beaches has been cut down to make the beaches more attractive to tourists.

With reference to the results of this research, suggest how deforestation of beaches could affect hawksbill turtle populations. 0653/32/M/J/12

[2]

## Use

0653/32/M/J/12

For

7 (d) Describe two harmful effects to the environment, other than extinction of species, that may result from deforestation.

1

2

[4]

0653/32/M/J/12

**BLANK PAGE** 

15

Please turn over for Question 8.

Fig. 8.1 shows apparatus a student used to investigate temperature changes that occurred during chemical reactions.
 0653/32/M/J/12

For Examiner's Use




Fig. 8.1

The student added reactants to the insulated beaker and stirred the mixture. She recorded the final temperature of each mixture.

At the start of each experiment, the temperature of the reactants was 22 °C.

Table 8.1 contains the results the student obtained.

experiment	reactant A	reactant B	final temperature/°C
1	dilute hydrochloric acid	sodium hydrogencarbonate	16
2	dilute hydrochloric acid	potassium hydroxide solution	26
3	magnesium	copper sulfate solution	43
4	copper	magnesium sulfate solution	22

Table 8.1

8 (a) Explain which experiment, 1, 2, 3 or 4, was a neutralisation reaction between an acid and an alkali. 0653/32/M/J/12

experiment \_\_\_\_\_\_explanation \_\_\_\_\_\_[1]

8	(b)	State and explain which experiment, 1, 2, 3 or 4, was an endothermic	eaction.
		experiment0	653/32/M/J/12
		explanation	
			[1]
8	(c)	Apart from the change in temperature, state <b>one</b> other observation t make when she carried out experiment <b>3</b> .	he student could 0653/32/M/J/12
			[1]
8	(d)	Explain, in terms of reactivity, why a reaction occurred in experiment <b>3</b>	653/32/M/J/12
			[1]
8	(e)	Suggest and explain a reason for the result obtained in experiment <b>4</b> .	0653/32/M/J/12
			[2]

17

For Examiner's Use

(a) Fig. 9.1 shows the effect of pH on the activity of an enzyme. For Examiner's Use rate of reaction 0 1 2 3 4 5 6 7 8 9 10 11 12 pН Fig. 9.1 0653/32/M/J/12 9 a (i) Describe the effect of pH on the activity of this enzyme. ..... [2] 9 a (ii) Explain why pH affects the enzyme in this way. 0653/32/M/J/12 \_\_\_\_\_ [2] 9 a (iii) An enzyme digests food in the human stomach, where hydrochloric acid is secreted. This enzyme is adapted to work best in these conditions. On Fig. 9.1, sketch a curve to show how pH affects the activity of this stomach enzyme. 0653/32/M/J/12 [1] 9 a (iv) After the food has been in the stomach for a while, it passes into the duodenum. Pancreatic juice, which contains sodium hydrogencarbonate, is mixed with the food in the duodenum. Explain why this stomach enzyme stops working when it enters the duodenum. 0653/32/M/J/12 ...... [2]

9 (b)	Explain how chemical digestion enables body cells to obtain nutrients. 0653/32/M/J/12	For Examiner's Use
	[3]	

					0 IIN N	Hellum 4	14         16         19         20           Ninogen         0         F         Neon           7         00         F         Neon           31         32         35.5         40           15         5         10         An           15         3         35.5         40           15         5         17         An           15         5         17         An	75         79         80         84           As         See         Br         Kr           33         Selenium         35         36	122         128         127         131           Sb         Te         I         Xe           Antimory         Tallutum         54         Xenon	209         209         At         Rn           Bismuth         Pedonium         85         86         Radon		167         169         173         175           Er         Tm         Yb         Lu           68         Folum         70         71	Fm Md No Lr Fermium Mendelevium Nobelium Lewrendum	
	≥		6 Carbon 6 28 28 28 28 14	73 <b>Ge</b> Germanium 32	119 <b>Sn</b>	207 <b>Pb</b> Lead 82		165 <b>HO</b> Holmium 67	Einsteinium					
	≡		11 5 Boron 5 27 27 Aluminum 13	70 <b>Ga</b> 31	115 <b>Ln</b> Indium 49	204 <b>T1</b> 81		162 Dysprosium 66	Californium Californium					
				65 <b>Zn</b> 30	112 Cd Cadmium 48	201 <b>Hg</b> <sup>Mercury</sup> 80		159 <b>Tb</b> Terbium 65	<b>BK</b> Berkelium					
				64 Cu Copper 29	108 <b>Ag</b> Silver	197 <b>Au</b> Gold 79		157 <b>Gd</b> Gadolinium 64	orrini Orrini					
Group				59 Nickel 28	106 Pd Palladium	195 Pt Platinum 78		152 Eu Europium 63	Am					
	Gro	Ğ	ອ	ŋ	ษั	ū		_	59 <b>Co</b> <sup>27</sup>	103 Rhodium 45	192 <b>Ir</b> Iridium		150 Samarium 62	
				Hydrogen	-	56 <b>Fe</b> Iron	101 <b>Ru</b> Ruthenium 44	190 <b>OS</b> Osmium 76		Promethium 61	<b>N</b>			
					55 Mn <sup>Manganese</sup> 25	Tc Technetium	186 <b>Re</b> Rhenium 75		144 Neodymium 60	238 Uranium				
					52 <b>Cr</b> Chromium 24	96 <b>Mo</b> Molybdenum 42	184 <b>V</b> Tungsten 74		141 Pr Praseodymium 59	Protactinium				
					51 Vanadium 23	93 Niobium 41	181 <b>Ta</b> Tantalum 73		140 <b>Ce</b> Cerium 58	232 <b>7 1</b>				
				48 Titanium 22	91 Zr Zirconium 40	178 Hafnium 72		1	nic mass bol					
				45 <b>Sc</b> Scandium 21	89 Yttrium 39	139 La Lanthanum 57 *	227 Actinium 89 †	l series eries	a = relative atomic mass X = atomic symbol					
	=		9 Beryllium 4 Beryllium 12 Magnesium	40 Calcium 20	88 <b>Sr</b> strontium 38	137 <b>Ba</b> <sup>Barium</sup> 56	226 <b>Rad</b> 88	*58-71 Lanthanoid series 190-103 Actinoid series	• × •					
			7 Lithium 23 Sodium	39 <b>A</b> Potassium 19	85 <b>Rb</b> Rubidium	133 Csesium	<b>Fr</b> Francium	71 L 103	Key					

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local