

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME			
	CENTRE NUMBER		CANDIDATE NUMBER	
*	COMBINED SC	IENCE	0653	3/31
8 1 6	Paper 3 (Extend	led)	October/November 2	012
7			1 hour 15 minu	ites
7	Candidates ans	wer on the Question Paper.		
. 6 7 6	No Additional M	aterials are required.		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24. At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 22 printed pages and 2 blank pages.



(a) Complete Table 1.1 by choosing one of the words from the list to match each statement. 0653/31/O/N/12

For Examiner's Use

	ammeter	ampere	circuit	electron	
	ohm	volt	voltmeter	watt	
		Table	1.1		
	sta	atement		word]
	a complete loop of con	ductors]
	a particle with a negative	ve electrical cha	rge		
	an instrument that mea	sures potential o	difference		
	the unit of power				
					[2]
1 (b) Fig. 1.1 shows two circuits, A and B . All the lamps and both cells are the same. 0653/31/O/N/12 Circuit A Circuit B					/12
		Fig. 1		0653/31/O/N	/10
1 b (i) One lamp is unscrewed from circuit A. 0653/31/O/N/12 State what happens to the other lamp. Explain your answer.					
					[1]

 1 b (ii)
 Explain why lights in a house are connected as in circuit B and not as in circuit A.
 Por

 0653/31/O/N/12
 0653/31/O/N/12

 [2]
 1 b (iii)
 The resistance of each lamp is 1.2 Ω.
 0653/31/O/N/12


 Calculate the combined resistance of the two lamps in circuit B.
 State the formula that you use and show your working.
 formula used

 working
 Kore
 Kore
 Kore

[3]

© UCLES 2012


BLANK PAGE




A wooden post is pushed into the ground, and then a heavy object is pulled across the top of the post to make it vibrate. The vibrations travel through the soil.

6

Earthworms respond to the vibrations by crawling out of their burrows onto the soil surface, where they can be caught. 0653/31/O/N/12



A student investigated the effect of different frequencies of vibrations on the numbers of earthworms that emerged from the soil. Fig. 2.2 shows his results.





2 (c) In Florida, USA, some people collect earthworms by vibrating the soil.

For Examiner's	Describe the effect of different frequencies of vibrations on the numbers of earthworms emerging. 0653/31/O/N/12	_{2 c} (i)
Use		
	[2]	
	Moles are predators that live underground and eat earthworms. When moles burrow through the ground, they produce vibrations of around 500 Hz.	2 c (ii)
	Suggest how the response of earthworms helps them to survive. 0653/31/O/N/12	
	[2]	

7

0653/31/O/N/12

3 (a) Fig. 3.1 shows how a digital pH meter is used to measure the pH of some liquids.




Fig. 3.1

3 a (i) Complete Table 3.1 by suggesting suitable pH values for the different liquids. 0653/31/O/N/12

Table 3	3.1
---------	-----

liquid	рН
water	
sodium hydroxide solution	
dilute sulfuric acid	

[2]

3 a (ii) Suggest one advantage of using a digital pH meter rather than a piece of litmus paper to assess the acidity of an aqueous solution. 0653/31/O/N/12

..... [1] 3 a (iii) Dilute acids are aqueous solutions that contain dissolved ions.

Table 3.2 shows the names of the ions in two common acids. 0653/31/O/N/12

name of dilute acid	names of dissolved ions
hydrochloric acid	hydrogen ions and chloride ions
sulfuric acid	hydrogen ions and sulfate ions

A student is given an unlabelled beaker which is known to contain either dilute hydrochloric acid or dilute sulfuric acid.

Describe a chemical test that a student could use to find out whether or not the beaker contains hydrochloric acid.


[2]

For Examiner's Use 3 (b) Fig. 3.2 shows three experiments that a teacher set up to compare the reactivities of magnesium, copper and an unknown metal **G**.

In each experiment she heated a mixture of one metal and the oxide of a different metal. In each case there was an exothermic chemical reaction.

For

Examiner's Use



 3 b
 (i) Write a word chemical equation for the reaction between magnesium and copper oxide.

 3 b
 (ii) Use the information in Fig. 3.2 to predict whether or not copper would react with the oxide of metal G.


 0653/31/O/N/12

 Explain your answer.

 prediction

 explanation

4 (a) An athlete of mass 60 kg jumps 1.3 metres vertically.



Calculate the work done by the athlete to achieve this height.

State the formula that you use and show your working. The gravitational field strength of the Earth is 10 N/kg.

formula used

working

	[3]
--	-----

- 4 (b) Using your answer to (a), state the gain in potential energy of the athlete when he jumps 1.3 metres. 0653/31/O/N/12
 -[1]

.....

4 (c) The work done in jumping vertically was completed in 0.5 s. 0653/31/O/N/12

Calculate the power developed.

State the formula that you use and show your working.

formula used

working

[2]

For Examiner's Use 5 Fig. 5.1 shows apparatus that can be used to measure the rate of respiration of germinating seeds. Examiner's




Fig. 5.1

The soda lime absorbs carbon dioxide from the air inside the apparatus.

5	(a)		the seeds respire, they use oxygen. This reduces the volume of gas inside the paratus. The faster they respire, the faster the red liquid moves towards the left.
	5 a	(i)	Write the balanced equation for aerobic respiration. 0653/31/O/N/12
			[2]
	5 a	(ii)	Use the equation to explain why the liquid would not move if there was no soda lime in the apparatus. 0653/31/O/N/12
			101
			[2]

For

Use

13

For Examiner's Use

Four sets of the apparatus shown in Fig. 5.1 were set up and labelled **A**, **B**, **C** and **D**. Each set of apparatus contained either germinating or dead seeds.

The distance moved by the red liquid in five minutes was measured for each set.

The results are shown in Table 5.1.

set	contents	temperature/°C	distance moved by red liquid in 5 minutes/mm
Α	germinating seeds	0	3
В	germinating seeds	10	6
С	germinating seeds	20	12
D	dead seeds	20	0

Table 5.1

5 b (i) Explain why it was important to include set **D** in the experiment.

[1] 5 b (ii) With reference to Table 5.1, describe the effect of temperature on the rate of respiration of germinating seeds. 0653/31/O/N/12 [2] 5 b (iii) Predict and explain the results you would expect if the apparatus was set up with germinating seeds at a temperature of 60 °C. 0653/31/O/N/12 predicted results explanation [2]

0653/31/O/N/12

6 Some types of firework are made by filling a cardboard tube with firework mixture. Firework mixture is made from several solid substances which have been powdered and mixed together. 0653/31/O/N/12

For Examiner's Use

Fig. 6.1 shows a typical firework.




Fig. 6.1

When the paper fuse is lit, exothermic chemical reactions occur inside the firework.

6 (a) Explain, in terms of rate of reaction, why firework mixture is a powder. 0653/31/O/N/12

..... [2]

6 (b) Some firework mixtures contain aluminium which is oxidised to produce the ionic compound, aluminium oxide.

For Examiner's Use

6 b (i) The electron configuration of an aluminium **atom** is **2**,**8**,**3** and of an oxygen **atom** is **2**,**6**.

Explain how aluminium and oxygen atoms become strongly bonded when they react to form aluminium oxide. You may draw some diagrams to help your explanation.

0653/31/O/N/12

[1]

.....[4]

6 b (ii) A student suggested the symbolic equation below for the formation of aluminium oxide. 0653/31/O/N/12

 $2Al + 3O_2 \longrightarrow Al_2O_3$


State and explain whether or not this equation is balanced.

[2]

6 (c) The firework mixture contained in the firework in Fig. 6.1 contains the compound potassium perchlorate, KClO₄. Examiner's When potassium perchlorate is heated, a colourless gas is given off which re-lights a glowing splint. Suggest why the firework mixture needs to contain potassium perchlorate. 0653/31/O/N/12 ·· [2]

For

Use



7 b (iii) The speed of sound was calculated for sound passing through a solid, a liquid, a gas and a vacuum.

0653/31/O/N/12

For

Examiner's

Use

The values recorded were

0m/s	330m/s
1500m/s	5000m/s.

Write the values in the correct boxes in Table 7.1.

Table 7.	1
----------	---

	speed of sound m/s
vacuum	
solid	
liquid	
gas	

[2]

 $_{7 \text{ b}}$ (iv) Sound travels through the air by a series of compressions and rarefactions.

Explain what is meant by compressions and rarefactions. You may use a diagram to help your explanation. 0653/31/O/N/12

..... [2]

© UCLES 2012

7 (c) Energy travels to the Earth from the Sun. State whether this transfer of energy is by conduction, convection or radiation. Explain your answer.
0653/31/O/N/12
[2]
7 (d) Light is able to travel down optical fibres by total internal reflection. Complete the diagram to show how the ray of light passes down the optical fibre. 0653/31/O/N/12

19

[2]


8 Fig. 8.1 shows the male reproductive system.

Fig. 8.1

8	(a)	(i)	State the functions of parts A , B and C .	0653/31/O/N/12
			Α	
			В	
			с	[3]
	8 a	(ii)	On Fig. 8.1, use a label line and the letter S to indicate where made.	e male gametes are [1]
				0653/31/O/N/12
8	(b)		scribe two ways in which human male gametes differ from huma	0653/31/O/N/12
		' •		
		2		[2]
8	(c)		is the virus that causes AIDS. HIV can be passed from one ing sexual intercourse.	e person to another
		Out	line how HIV affects the immune system of a person with HIV/AI	DS. 0653/31/O/N/12
		•••••		[2]

9 (a) (i) Methane and ethane are hydrocarbons found in fossil fuels.

Complete the structures of molecules of methane and ethane that have been started below. 0653/31/O/N/12



[2]


For Examiner's Use

9 a (ii) Methane and ethane are found in refinery gas, which is an important product obtained from petroleum (crude oil). 0653/31/O/N/12

State one use for refinery gas.

......[1]

9 (b) Draw three straight lines to connect each process or reaction in the left hand column with its meaning in the right hand column. 0653/31/O/N/12



[2]

9 (c) Decane is a colourless liquid compound which has the chemical formula, $C_{10}H_{22}$.

Fig. 9.1 shows apparatus that a teacher used to show what happens when decane vapour is passed over a hot catalyst.




Fig. 9.1

When the teacher started to pass the decane vapour through the apparatus, the solution of bromine rapidly changed colour from orange to colourless.

 $9_{\rm C}$ (i) Suggest and explain why the bromine solution changed from orange to colourless.

Examiner's Use

For

BLANK PAGE

	0	4 He Helium	20 Neon Argon	84 Krypton	Xenon Xenon Rn Padoo		175 Lu Lutetium	Lr Lawrencium 103
	IN IN	~ ~	9 9	36	54	80		
	>		6 77	35 ^{Br}	127 I 53 At	86	2	Im Nobelium 102
	>		16 8 Oxygen 8 32 32 16 Suftur	79 Selenium 34	128 Tellurium 52 PO	8	169 Thulium 69	Mendelevium 101
	>		14 7 Nitrogen 31 8 15	75 AS Arsenic 33	122 Sb 51 209 Bi	83	167 Er bium 68	Fm Fermium 100
	≥	-	6 Carbon 6 Carbon 28 28 28 28 14	73 Ge Germanium 32	50 Tin 207 207	82	165 Ho Holmium 67	ε
	≡		11 B B Boron 5 27 27 A 1 3 13	70 Ga Gallium 31	115 In 1ndium 49 204 T1		162 Dy Dysprosium 66	Cf californium 98
nts				65 Zn 30 ^{Zinc}	Cadmium 48 201 Hg		159 Tb G5	Bk Berkelium 97
The Periodic Table of the Elements				64 Cu Copper 29	108 Ag silver 197 Au		157 Gd Gadolinium 64	232 238 238 238 Th Pa U Np Pu Am brotum Protactinium Uranium Putonium Americium Curium Berkelum Caffornium 91 92 93 94 95 96 97 98
ic Table of the	d n			59 Nickel 28	106 Pd Palladium 46 195 Pt	-	152 Eu Europium 63	Am Americium 95
odic Tat	dio io			59 CO Cobalt 27	103 Rhođum 45 192 1	77	150 Sm Samarium 62	Pu Plutonium 94
The Peri		¹ Hydrogen		56 Fe Iron	Ruthenium 44 OS	76	Promethium 61	Neptunium 93
			_	55 Mn Manganese 25	Technetium 136 186 Re Photoium	75	144 Neodymium 60	238 Uranium 92
				52 Cr Chromium 24	96 Molybdenum 42 184 Turoctoo	74	141 Pr Praseodymium 59	Pa Protactinium 91
				51 Vanadium 23	Parality Par	73	140 Cerium 58	232 Th 90
				48 T Ttanium 22	91 Zr Zirconium 40 178 Hf	72		mass number
				45 Sc Scandium 21	39 Yttrium 39 Tarihanum	* +-	series sries	a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		9 Beryllum 4 24 S24 Magnesium	40 Ca ^{Calcium}	88 Strontium 38 137 Ba	56 226 228 Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series	a a a b a a b a a a a a a a a a a a a a
			Lithium 4 23 Sodium 11	39 Potassium 19	Rubidium 37 Bubidium 37 CS CS		1 Lar 03 Ac	۹ م ۱

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.