

**MARK SCHEME for the October/November 2010 question paper  
for the guidance of teachers**

**0580 MATHEMATICS**

**0580/21**

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.


CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.




<b>Page 2</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2010</b>	<b>0580</b>	<b>21</b>

### Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
www	without wrong working

Qu.	Answers	Mark	Part Marks
<b>1</b>	20 (but <b>3, 4 and 8 must be seen www</b> )	2	<b>M1</b> 3, 4 and 8 seen www
<b>2</b>	1.2496 cao	2	Allow $1 \frac{156}{625}$ <b>M1</b> $1 + 0.2 + 0.04 + 0.008 + 0.0016$
<b>3</b>	2	2	<b>M1</b> $3x - 1 - 3x + 3$
<b>4</b>	$0.9^3$ $0.9^2$ $\sqrt{0.9}$ $\sqrt[3]{0.9}$	2	<b>M1</b> 0.94(8683...) 0.96(5489....) 0.8(1) 0.7(29)
<b>5</b>	(a) 5 (b) 2	1 1	
<b>6</b>	$1.15(2) \times 10^{-2}$	2	<b>M1</b> figs 115(2)
<b>7</b>	$\frac{5+x}{2x}$	2	<b>M1</b> $4 + 1 + x$ seen or <b>M1</b> $\frac{10+2x}{4x}$ oe
<b>8</b>	40.5	2	<b>M1</b> 6.75 seen or $6 \times$ their LB
<b>9</b>	\$674.92, 674.9(0) or 675	3	<b>M2</b> $600 \times (1 + (4/100))^3$ or better oe or <b>M1</b> $600 \times 1.04^2$ oe
<b>10</b>	$x = 4$ $y = -3$	3	<b>M1</b> consistent mult and sub/add <b>A1</b> one correct value but M must be scored
<b>11</b>		3	Marks allocated for R in one of the regions shown
<b>12</b>	$x = \pm \sqrt{(5y) - 3}$ or $x = \pm \sqrt{5y} - 3$	3	<b>M1</b> correct move of the 5 completed <b>M1</b> correct move of the square completed <b>M1</b> correct move of the 3 completed

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0580	21

13	$x < -3$	3	<b>M1</b> correct move <b>M1</b> correct move <b>M1</b> correct move
14	(a) 10(.0) (b) $2\frac{1}{2}$ , 2.5(0)	1 2	<b>M1</b> $2n - 3 = 2$
15	31.4 cao	3	<b>M1</b> $\frac{1}{2} \times 2 \times \pi \times 3$ oe <b>M1</b> $6 + 8 + 6 + 1 + 1 + k\pi$
16	$\frac{x-3}{x+2}$	4	<b>B2</b> $(x-3)(x-2)$ or <b>B1</b> $(x+a)(x+b)$ where $ab = 6$ or $a + b = -5$ <b>B1</b> $(x-2)(x+2)$
17	(a) $\begin{pmatrix} 8 & 0 \\ 0 & 8 \end{pmatrix}$ oe (b) $\begin{pmatrix} \frac{1}{4} & \frac{1}{4} \\ \frac{1}{4} & -\frac{1}{4} \end{pmatrix}$ oe	2 2	<b>B1</b> for one column (or row) correct <b>B1</b> for $-1/8 \begin{pmatrix} a & c \\ b & d \end{pmatrix}$ or <b>B1</b> for $\begin{pmatrix} -2 & -2 \\ -2 & 2 \end{pmatrix}$ seen
18	(a) (i) Tangent (ii) 4.4 to 6 (b) 780	1 2 2	Correct tangent drawn dep <b>M1</b> attempting to find gradient of their tangent <b>M1</b> evidence of finding the area under the graph ONLY from $t = 12$ to $t = 25$
19	(a) 20200 (b) 1260	2 2	<b>M1</b> $65 \times 300 + 700$ <b>M1</b> $71190 / 56.5$
20	$x = 0.84$ or $7.16$	4	<b>B1</b> $\frac{8 \pm k}{2}$ <b>B1</b> $\sqrt{8^2 - 4 \times 1 \times 6}$ or better <b>A1 A1</b>
21	(a) Bisector (b) (4, 2) (c) $y = -2x + 10$ oe	2 1 3	<b>B1</b> accurate line <b>B1</b> two sets of correct arcs <b>B1</b> correct $m$ <b>B1</b> correct $c$ <b>M1</b> correct use of $y = mx + c$ oe on answer line
22	(a)  (b) 11 (c) 23	4 1ft 1ft	<b>B1</b> 0 and 14 in correct place <b>B1</b> 2 in correct place <b>B1</b> 3 in correct place <b>B1</b> 12 in correct place <b>B1ft</b> 8 + their 3 <b>B1ft</b> 21 + their 2