MARK SCHEME for the October/November 2010 question paper

for the guidance of teachers

0625 PHYSICS

0625/21

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



UNIVERSITY of CAMBRIDGE International Examinations

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0625	21

NOTES ABOUT MARK SCHEME SYMBOLS & OTHER MATTERS

- B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.
- M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.
- C marks are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.
- A marks are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.
- c.a.o. means "correct answer only".
- e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."
- e.e.o.o. means "each error or omission".
- brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets.

e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

- <u>underlining</u> indicates that this <u>must</u> be seen in the answer offered, or something very similar.
- un.pen. means "unit penalty". An otherwise correct answer will have one mark deducted if the unit is wrong or missing. This **only** applies where specifically stated in the mark scheme. Elsewhere, incorrect or missing units are condoned.
- OR/or indicates alternative answers, any one of which is satisfactory for scoring the marks.
- Spelling Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit.
- Significant Answers are acceptable to any number of significant figures ≥ 2, except if specified otherwise, or if only 1 sig. fig. is appropriate.
- Units Ignore units, except where a mark is specified for a particular unit.
- Fractions These are only acceptable where specified.
- Extras Ignore extras in answers if they are irrelevant; if they contradict an otherwise correct response or are forbidden by mark scheme, use right + wrong = 0

Work which has been crossed out, but not replaced, should be marked as if it had not been crossed out.

	Pa	ge 3		e: Teachers' version	Syllabus	Paper
			IGCSE – Octo	ober/November 2010	0625	21
1	(a)	(i) 6 (ci 5 (ci	-			B1 B1
			5 × 2 ecf cm³) ecf			C1 A1
	(b)	53	in any form, letters, w OR 2650	ords or numbers		B1 C1 A1
		g/cm ³	OR kg/m ³ (unit mus	st be appropriate)		B1
						[Total: 8]
2	(0)	diatanaa	time in any form			C1
Z	(a)		/time in any form OR 960/(8 × 60)			C1
		120	OR 2			A1
		m/min	OR m/s must corre	espond with value		B1
	(b)	friction	or air resistance or	force accelerating/dece	elerating legs	B1
						[Total: 5]
3	(a)	tidal wave hydroele (any ord		waterfall		B1 B1 B1
	(b)	tidal		wave	hydroelectric	
	(~)	PE of ris flow thro	e and fall ough turbine trives generator	PE of rise and fall rotates/moves floats floats drive generator	water stored at high level flowing water drives turbin turbine drives generator	B1 ne B1 B1
						[Total: 6]
4	(a)	focal len	gth OR focal distan	се		B1
	(b)		Il passing through F			M1
			ate refraction at both l rays bent at lens mid-l			A1
	(c)	focused	image OR <u>sharp</u> im	nage OR dot		B1
	(d)	4 dots	OR out-of-focus/blurre	ed/fuzzy image		B1
						[Total: 5]

 6 (a) conduction (b) (i) convection (ii) hot water expands OR hot water less dense hot water rises (ignore anything about cold water falling) (c) convection cannot occur water is a poor conductor (c) convection cannot occur water is a poor conductor 7 (a) <i>i</i> correctly shown (b) (i) ray shown in air at angle > 40° angle same as in Fig. 7.1, by eye (ii) ray reflected (MO if says along surface) critical angle exceeded 														versi					abus	5	Рар		
 (b) gamma (c) radio (d) alpha (d) alpha (e) convection (i) hot water expands OR hot water less dense hot water rises (ignore anything about cold water falling) (c) convection cannot occur water is a poor conductor (c) convection cannot occur water is a poor conductor (c) convective shown (b) (i) ray shown in air at angle > 40° angle same as in Fig. 7.1, by eye (ii) ray reflected (MO if says along surface) critical angle exceeded (c) one sound or equivalent (NOT an echo) (ii) distance = speed × time in any form condone factor of 2 330 × 1.5 	I		IG	GCS	SE	Ξ-	- 0	cto	be	er/N	Nov	/en	nbe	<u>er 20</u>	10			00	625		 21		
 (c) radio (d) alpha (d) alpha (e) conduction (i) convection (ii) hot water expands OR hot water less dense hot water rises (ignore anything about cold water falling) (c) convection cannot occur water is a poor conductor (c) convection cannot occur water is a poor conductor (c) convectly shown (b) (i) ray shown in air at angle > 40° angle same as in Fig. 7.1, by eye (ii) ray reflected (MO if says along surface) critical angle exceeded (ii) one sound or equivalent (NOT an echo) (ii) distance = speed × time in any form condone factor of 2 330 × 1.5 	b	eta b	a boʻ	oth ı	un	nde	ərlir	nec	d	-1	e.e	e.o	.0.										B2
 (d) alpha (a) conduction (b) (i) convection (ii) hot water expands OR hot water less dense hot water rises (ignore anything about cold water falling) (c) convection cannot occur water is a poor conductor (a) / correctly shown (b) (i) ray shown in air at angle > 40° angle same as in Fig. 7.1, by eye (ii) ray reflected (MO if says along surface) critical angle exceeded 8 (a) (i) one sound or equivalent (NOT an echo) (ii) distance = speed × time in any form condone factor of 2 330 × 1.5 																							B1
 (a) conduction (b) (i) convection (ii) hot water expands OR hot water less dense hot water rises (ignore anything about cold water falling) (c) convection cannot occur water is a poor conductor (c) convection cannot occur water is a poor conductor (d) i correctly shown (b) (i) ray shown in air at angle > 40° angle same as in Fig. 7.1, by eye (ii) ray reflected (MO if says along surface) critical angle exceeded (c) convection cannot or equivalent (NOT an echo) (ii) distance = speed × time in any form condone factor of 2 330 × 1.5 																							B1
 6 (a) conduction (b) (i) convection (ii) hot water expands OR hot water less dense hot water rises (ignore anything about cold water falling) (c) convection cannot occur water is a poor conductor (c) convectly shown (b) (i) ray shown in air at angle > 40° angle same as in Fig. 7.1, by eye (ii) ray reflected (MO if says along surface) critical angle exceeded (7 (a) (i) one sound or equivalent (NOT an echo) (ii) distance = speed × time in any form condone factor of 2 330 × 1.5 																							B1
 (b) (i) convection (ii) hot water expands OR hot water less dense hot water rises (ignore anything about cold water falling) (c) convection cannot occur water is a poor conductor (c) convection cannot occur water is a poor conductor (a) <i>i</i> correctly shown (b) (i) ray shown in air at angle > 40° angle same as in Fig. 7.1, by eye (ii) ray reflected (MO if says along surface) critical angle exceeded (c) convected of the provided of the																					[To	otal	5]
 (ii) hot water expands OR hot water less dense hot water rises (ignore anything about cold water falling) (c) convection cannot occur water is a poor conductor (a) <i>i</i> correctly shown (b) (i) ray shown in air at angle > 40° angle same as in Fig. 7.1, by eye (ii) ray reflected (MO if says along surface) critical angle exceeded 																							B1
 hot water rises (ignore anything about cold water falling) (c) convection cannot occur water is a poor conductor (a) <i>i</i> correctly shown (b) (i) ray shown in air at angle > 40° angle same as in Fig. 7.1, by eye (ii) ray reflected (MO if says along surface) critical angle exceeded 		ion	n																				B1
 water is a poor conductor (a) <i>i</i> correctly shown (b) (i) ray shown in air at angle > 40° angle same as in Fig. 7.1, by eye (ii) ray reflected (MO if says along surface) critical angle exceeded 8 (a) (i) one sound or equivalent (NOT an echo) (ii) distance = speed × time in any form condone factor of 2 330 × 1.5 																[.] fallir	ng)						B1 B1
 7 (a) <i>i</i> correctly shown (b) (i) ray shown in air at angle > 40° angle same as in Fig. 7.1, by eye (ii) ray reflected (MO if says along surface) critical angle exceeded 8 (a) (i) one sound or equivalent (NOT an echo) (ii) distance = speed × time in any form condone factor of 2 330 × 1.5 																							B1 B1
 (b) (i) ray shown in air at angle > 40° angle same as in Fig. 7.1, by eye (ii) ray reflected (MO if says along surface) critical angle exceeded 8 (a) (i) one sound or equivalent (NOT an echo) (ii) distance = speed × time in any form condone factor of 2 330 × 1.5 																					[T(otal	: 6]
 angle same as in Fig. 7.1, by eye (ii) ray reflected (MO if says along surface) critical angle exceeded 8 (a) (i) one sound or equivalent (NOT an echo) (ii) distance = speed × time in any form condone factor of 2 330 × 1.5 	'n	iown	wn																				B1
 critical angle exceeded 8 (a) (i) one sound or equivalent (NOT an echo) (ii) distance = speed × time in any form condone factor of 2 330 × 1.5 											/e												C1 A1
 8 (a) (i) one sound or equivalent (NOT an echo) (ii) distance = speed × time in any form condone factor of 2 330 × 1.5 									alo	ng	sur	rfac	ce))									M1 A1
 (ii) distance = speed × time in any form condone factor of 2 330 × 1.5 																					[To	otal	: 5]
330 × 1.5	oı	nd o	d or	. ed	quiv	va	len	nt (NC	от а	an	ecł	ho))									B1
	sþ		= spe	eec	ed ×	× ti	ime	ə ir	n a	ny	fori	m.		. cor	าdon	e fac	ctor o	of 2					C1 C1 A1
 (b) (i) idea of one sound direct OR original sound other sound by echo 	s	inal s	al sc	oun	nd			x															B1 B1
(ii) 1.5 (s) 4.5 (s)				·																			B1 B1
																					ר]	Гota	

	Pa	nge 5	6	Mark Scheme: Teachers' version	Syllabus	Paper
				IGCSE – October/November 2010	0625	21
9	(a)	(i)		left end and S at right end (inside or outside magner N and S within magnet outline	et outline)	M1 A1
		(ii)	attra	cted/moves towards magnet OR it becomes mag	gnetised	B1
		(iii)	noth	ing		B1
	(b)	(i)	pass	current through coil/wire OR connect a battery a	across coil	B1
		(ii)	iron	NOT steel		B1
		(iii)	can can	be very strong) be switched on & off easily) any one reverse polarity easily) stable strength)		B1
						[Total: 7]
10	(a)	par	allel			B1
	(b)	100	V/R ii)/250 (A)	n any form		C1 C1 A1
	(c)	12	(A) (DR $30 \times his$ (b), correctly evaluated		B1
	(d)	par	allel			B1
	(e)	(i)	none	e e.c.f. from (a)		B1
		(ii)	none	e e.c.f. from (d)		B1
						[Total: 8]
11	(a)	con (igr	nplete nore a	ery shown e series circuit, including cell/battery ny switch, open or closed ny other component, as long as a current would flov	v)	M1 A1
		<i>(</i>)	•			
	(d)	(i)	close	nd M on door and frame (either way) so they would ed I frame and M on door edge/door face close to edg		ther when door B1 B1
		(ii)		suitable application shop door, security door, lift door, fridge door, oven	door	B1
						[Total: 5]

Page 6			Mark Scheme: Teachers' version	Syllabus	Paper
			IGCSE – October/November 2010	0625	21
12	(a) ye ye nc	es			B1 B1 B1
	(b) ทเ	ucleus			B1
	(c) (i)		pints correct $\pm \frac{1}{2}$ small square -1 e.e.o.o. , smooth curve through points		B2 B1
	(ii)	108	1 (mins) ± 1 (mins) ± 2 (mins) e.c.f. if working shown		C1 C1 A1
	(iii)) half	his (ii) e.c.f.		B1
	(d) hi	s (ii) e	e.c.f.		B1
					[Total: 12]