UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2011 question paper for the guidance of teachers

0625 PHYSICS

0625/22

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0625	22

NOTES ABOUT MARK SCHEME SYMBOLS & OTHER MATTERS

B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.

M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.

C marks are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.

A marks are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.

c.a.o. means "correct answer only".

e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."

e.e.o.o. means "each error or omission".

brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets.

e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

underlining indicates that this must be seen in the answer offered, or something very similar.

OR/or indicates alternative answers, any one of which is satisfactory for scoring the marks.

Spelling Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit.

Significant Answers are acceptable to any number of significant figures ≥ 2, except if figures specified otherwise, or if only 1 sig. fig. is appropriate.

Units Incorrect units are not penalised, except where specified. More commonly, marks are allocated for specific units.

Fractions These are only acceptable where specified.

Extras Ignore extras in answers if they are irrelevant; if they contradict an otherwise correct response or are forbidden by mark scheme, use right + wrong = 0

Ignore Indicates that something which is not correct is disregarded and does not cause a right plus wrong penalty.

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0625	22

Not/NOT

Indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate i.e. right plus wrong penalty applies.

2 (a) sound/waves hitting obstacle reflected/bounced back (from obstacle) (b) (i) speed = distance/time in any form	Page 4		4	Mark Scheme: Teachers' version Syllabus		Paper	
394 – 210 OR 184 0.92 9/cm³ (accept correct conversion to kg/m³, with unit) (b) decreases B1 [5] 2 (a) sound/waves hitting obstacle reflected/bounced back (from obstacle) (b) (i) speed = distance/time in any form 12.9/1500 C1 0.0086 OR 8.6 × 10⁻³ (s) A1 (ii) 130 – 150 (m) B1 [6] 3 (a) turning effect OR force x distance (from fulcrum) (b) (i) A and idea of bigger distance from hinge/bivot B1 (ii) closes B1 [3] 4 (a) temperature at which change between solid and liquid (or v.v.) (b) stays constant (if (b) left blank, can score from (a), if stated there) B1 (c) one section horizontal at -10⁻°C Curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 curve from R end of horiz section to −18, but no lower 5 (a) (i) decreases (ii) thermistor (b) (i) 1. put X in ice pure OR melting 2. put X in steam/boiling water pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) (ii) idea of not very accurate/ not linear				IGCSE – October/November 2011	0625	22	
g/cm³ (accept correct conversion to kg/m³, with unit) (b) decreases B1 [5] 2 (a) sound/waves hitting obstacle reflected/bounced back (from obstacle) A1 (b) (i) speed = distance/time in any form 12.9/1500 C1 12.9/1500 C1 12.9/1500 C1 13.0 C1 13.0 C1 14.0 C1 14.0 C1 15.0 C1 15	1						
g/cm³ (accept correct conversion to kg/m³, with unit) (b) decreases B1 [5] 2 (a) sound/waves hitting obstacle reflected/bounced back (from obstacle) (b) (i) speed = distance/time in any form 12.9/1500 C1				0 OR 184			
(accept correct conversion to kg/m², with unit) (b) decreases B1 [5] 2 (a) sound/waves hitting obstacle reflected/bounced back (from obstacle) (b) (i) speed = distance/time in any form 12.9/1500 C1 0.0086 OR 8.6 × 10 ⁻³ (s) (ii) 130 – 150 (m) B1 [6] 3 (a) turning effect OR force x distance (from fulcrum) (b) (i) A and idea of bigger distance from hinge/pivot (ii) closes B1 [3] 4 (a) temperature at which change between solid and liquid (or v.v.) (b) stays constant (if (b) left blank, can score from (a), if stated there) (c) one section horizontal at -10 ⁻⁰ C curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 curve from R end of horiz section to -18, but no lower (b) (i) 1. put X in ice pure OR melting 2. put X in steam/boiling water pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) B1 (ii) idea of not very accurate/ not linear							
2 (a) sound/waves hitting obstacle reflected/bounced back (from obstacle) (b) (i) speed = distance/time in any form 12.9/1500 0.0086 OR 8.6 × 10 ⁻³ (s) (ii) 130 – 150 (m) B1 [6] 3 (a) turning effect OR force x distance (from fulcrum) (b) (i) A and idea of bigger distance from hinge/pivot (ii) closes B1 [3] 4 (a) temperature at which change between solid and liquid (or v.v.) (b) stays constant (if (b) left blank, can score from (a), if stated there) B1 (c) one section horizontal at –10°C curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 curve from R end of horiz section to –18, but no lower (b) (i) decreases (ii) thermistor B1 (b) (i) 1. put X in ice pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) (ii) idea of not very accurate/ not linear				correct conversion to kg/m³, with unit)		D 1	
reflected/bounced back (from obstacle) (b) (i) speed = distance/time in any form 12.9/1500 C1 0.0086 OR 8.6 × 10 ⁻³ (s) A1 (ii) 130 – 150 (m) B1 [6] 3 (a) turning effect OR force x distance (from fulcrum) (b) (i) A and idea of bigger distance from hinge/pivot (ii) closes B1 [3] 4 (a) temperature at which change between solid and liquid (or v.v.) (b) stays constant (if (b) left blank, can score from (a), if stated there) (c) one section horizontal at -10°C aurve, decreasing gradient, down to L end of horiz section from 50 at t = 0 at 2 curve from R end of horiz section to -18, but no lower (b) (i) decreases B1 (ii) thermistor B1 (b) (i) 1. put X in ice pure OR melting 2. put X in steam/boiling water pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) B1 (ii) idea of not very accurate/ not linear M1		(b) dec	crease	es		B1	[5]
(b) (i) speed = distance/time in any form 12.9/1500 0.0086 OR 8.6 × 10 ⁻³ (s) (ii) 130 – 150 (m) B1 (b) (i) A and idea of bigger distance (from fulcrum) B1 (b) (i) A and idea of bigger distance from hinge/pivot (ii) closes B1 (a) temperature at which change between solid and liquid (or v.v.) (b) stays constant (if (b) left blank, can score from (a), if stated there) B1 (c) one section horizontal at –10°C curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 curve from R end of horiz section to –18, but no lower (b) (i) decreases (ii) thermistor B1 (b) (i) 1. put X in ice pure OR metting A1 2. put X in steam/boiling water pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) (ii) idea of not very accurate/ not linear	2	(a) sou	und/w	aves hitting obstacle		C1	
12.9/1500 0.0086 OR 8.6 × 10 ⁻³ (s) (ii) 130 – 150 (m) B1 (b) (i) A <u>and</u> idea of bigger distance (from fulcrum) B1 (b) (i) A <u>and</u> idea of bigger distance from hinge/pivot (ii) closes B1 [3] 4 (a) temperature at which change between solid and liquid (or v.v.) (b) stays constant (if (b) left blank, can score from (a), if stated there) B1 (c) one section horizontal at -10°C and curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 and curve from R end of horiz section to -18, but no lower (b) (i) decreases (ii) thermistor B1 (b) (i) 1. put X in ice pure OR melting and pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) (ii) idea of not very accurate/ not linear		ref	lected	/bounced back (from obstacle)		A1	
0.0086 OR 8.6 × 10 ⁻³ (s) (ii) 130 – 150 (m) B1 [6] 3 (a) turning effect OR force x distance (from fulcrum) (b) (i) A and idea of bigger distance from hinge/pivot (ii) closes B1 [3] 4 (a) temperature at which change between solid and liquid (or v.v.) (b) stays constant (if (b) left blank, can score from (a), if stated there) B1 (c) one section horizontal at –10°C A1 curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 A1 curve from R end of horiz section to –18, but no lower 5 (a) (i) decreases (ii) thermistor B1 (b) (i) 1. put X in ice pure OR melting A1 A1 Put X in steam/boiling water pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) (ii) idea of not very accurate/ not linear		(b) (i)					
3 (a) turning effect OR force x distance (from fulcrum) (b) (i) A and idea of bigger distance from hinge/pivot (ii) closes B1 (ii) closes B1 [3] 4 (a) temperature at which change between solid and liquid (or v.v.) (b) stays constant (if (b) left blank, can score from (a), if stated there) B1 (c) one section horizontal at -10°C A1 curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 curve from R end of horiz section to -18, but no lower 5 (a) (i) decreases (ii) thermistor B1 (b) (i) 1. put X in ice pure OR melting A1 2. put X in steam/boiling water pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) (ii) idea of not very accurate/ not linear							
(b) (i) A and idea of bigger distance from hinge/pivot (ii) closes B1 [3] 4 (a) temperature at which change between solid and liquid (or v.v.) (b) stays constant (if (b) left blank, can score from (a), if stated there) B1 (c) one section horizontal at -10°C A1 curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 A1 curve from R end of horiz section to -18, but no lower 5 (a) (i) decreases (ii) thermistor B1 (b) (i) 1. put X in ice pure OR melting A1 pure OR standard pressure A1 record ammeter reading mentioned somewhere in (b)(i) (ii) idea of not very accurate/ not linear		(ii)	130	– 150 (m)		B1	[6]
(ii) closes B1 [3] 4 (a) temperature at which change between solid and liquid (or v.v.) (b) stays constant (if (b) left blank, can score from (a), if stated there) (c) one section horizontal at -10°C A1 curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 A1 curve from R end of horiz section to -18, but no lower 5 (a) (i) decreases B1 (ii) thermistor B1 (b) (i) 1. put X in ice pure OR melting A1 A1 pure OR standard pressure pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) B1 (ii) idea of not very accurate/ not linear M1	3	(a) tur	ning e	effect OR force x distance (from fulcrum)		B1	
4 (a) temperature at which change between solid and liquid (or v.v.) (b) stays constant (if (b) left blank, can score from (a), if stated there) (c) one section horizontal at -10°C A1 curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 A1 curve from R end of horiz section to -18, but no lower 5 (a) (i) decreases B1 (ii) thermistor (b) (i) 1. put X in ice pure OR melting A1 2. put X in steam/boiling water pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) B1 (ii) idea of not very accurate/ not linear		(b) (i)	A <u>ar</u>	nd idea of bigger distance <u>from hinge/pivot</u>		B1	
change between solid and liquid (or v.v.) (b) stays constant (if (b) left blank, can score from (a), if stated there) B1 (c) one section horizontal at -10°C A1 curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 A1 curve from R end of horiz section to -18, but no lower 5 (a) (i) decreases B1 (ii) thermistor B1 (b) (i) 1. put X in ice M1 pure OR melting A1 A1 A1 pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) B1 (ii) idea of not very accurate/ not linear		(ii)	clos	es		B1	[3]
(c) one section horizontal at -10°C A1 curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 A1 curve from R end of horiz section to -18, but no lower A1 [7] 5 (a) (i) decreases B1 (ii) thermistor B1 (b) (i) 1. put X in ice pure OR melting A1 2. put X in steam/boiling water pure OR standard pressure A1 record ammeter reading mentioned somewhere in (b)(i) B1 (ii) idea of not very accurate/ not linear M1	4		-				
(c) one section horizontal at -10°C A1 curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 A1 curve from R end of horiz section to -18, but no lower A1 [7] 5 (a) (i) decreases B1 (ii) thermistor B1 (b) (i) 1. put X in ice pure OR melting A1 2. put X in steam/boiling water pure OR standard pressure A1 record ammeter reading mentioned somewhere in (b)(i) B1 (ii) idea of not very accurate/ not linear M1							
at -10°C curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 curve from R end of horiz section to -18, but no lower 5 (a) (i) decreases B1 (ii) thermistor B1 (b) (i) 1. put X in ice pure OR melting 2. put X in steam/boiling water pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) B1 (ii) idea of not very accurate/ not linear M1 M2		(b) sta	ys co	nstant (if (b) left blank, can score from (a) , if state	ed there)	B1	
curve, decreasing gradient, down to L end of horiz section from 50 at t = 0 curve from R end of horiz section to –18, but no lower 5 (a) (i) decreases B1 (ii) thermistor B1 (b) (i) 1. put X in ice pure OR melting 2. put X in steam/boiling water pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) B1 (ii) idea of not very accurate/ not linear							
curve from R end of horiz section to –18, but no lower 5 (a) (i) decreases B1 (ii) thermistor B1 (b) (i) 1. put X in ice					from 50 at t = 0		
(ii) thermistor B1 (b) (i) 1. put X in ice						A1	[7]
(b) (i) 1. put X in ice pure OR melting A1 2. put X in steam/boiling water pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) B1 (ii) idea of not very accurate/ not linear	5	(a) (i)	decr	reases		B1	
pure OR melting 2. put X in steam/boiling water pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) (ii) idea of not very accurate/ not linear A1 M1		(ii)	ther	mistor		B1	
2. put X in steam/boiling water pure OR standard pressure A1 record ammeter reading mentioned somewhere in (b)(i) B1 (ii) idea of not very accurate/ not linear M1		(b) (i)	1.	put X in ice			
pure OR standard pressure record ammeter reading mentioned somewhere in (b)(i) (ii) idea of not very accurate/ not linear M1							
record ammeter reading mentioned somewhere in (b)(i) (ii) idea of not very accurate/ not linear M1				•			
• •				·	i)		
• •		(ii)	idea	of not very accurate/ not linear		M1	
		- 1	unle	ss more calibration points (between 0°C and 100°C	C)/other logic	A1	[9]

Paper	
22	
B1	
and B1	
B1	
B1 M1 A1	
M1 A1	[8]
B1	
M1	
A1 A1	
B1 B1	[6]
B1	
B1	
B1	
B1 B1 B1	[6]
B1 B1 M1 A1	
B1	
B1 ce B1	
(B1 ce

					Paper	
			IGCSE – October/November 2011 0625	22		
		(ii)	zero/minimum/resistance	B1	[8]	
10	(a)	(i)	voltmeter NOT voltameter	B1		
		(ii)	voltmeter connected in parallel across R symbol correct	B1 B1		
	(b)	(i)	2 (A)	B1		
		(ii)	2 (A)	B1		
	(c)	(i)	R = V/I in any form $8/2$ 4 (Ω)	C1 C1 A1		
		(ii)	candidate's (c)(i) + 4 correctly evaluated	B1		
	(d)	8 (\	V)	B1	[10]	
11	(a)	oth (rad	ntaminated surfaces (any sort) ner radioactive material nearby diation from) rocks/soil smic rays/radiation from space don gas from ground	B1		
	(b)	bet	wha OR α ta OR β 1 if gamma mentioned)	B1 B1		
	(c)	any	y value within range 45–55	B1		
	(d)	(i)	(all) larger	B1		
		(ii)	same	B1		
	(e)	any	y sensible precaution	B1	[7]	
12	(a)	i.e. A c	rrect form of equation $ ^{238}_{92} \text{U} \rightarrow {}^{\text{A}}_{2} \text{Th} + {}^{4}_{2} \text{He}$ clearly 234 clearly 90	B1 B1 B1		
	(b)		ass number OR nucleon number OR no. of nucleons OR no. of prof neutrons	tons B1		

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0625	22

(c) atomic number OR proton number OR no. of protons/positive charges IGNORE no. of electrons

B1 [5]